



PVC White Schedule 40 Fittings, Unions, & Saddles



TECHNICAL INFORMATION WEIGHTS & DIMENSIONS

April 1, 2008

SUPERSEDES ALL PREVIOUS EDITIONS



Quality Systems Certificate No. 293
Corporate Facilities, Sylmar, CA
Assessed to ISO 9001: 2000

Visit our web site

www.spearsmfg.com

40-4-0408

Additional Technical Publications

PVC SCHEDULE 80 FITTINGS • TECHNICAL INFORMATION/WEIGHTS & DIMENSIONS	80-4
CPVC CTS FITTINGS COPPER-TUBE-SIZE • TECHNICAL INFORMATION/WEIGHTS & DIMENSIONS.	CTS-4
THERMOPLASTIC FLANGES • TECHNICAL INFORMATION/WEIGHTS & DIMENSIONS	FL-4
PVC INSERT FITTINGS FOR USE WITH POLYETHYLENE PIPE • TECHNICAL INFORMATION/WEIGHTS & DIMENSIONS	INS-4
THERMOPLASTIC VALVES • PRODUCT GUIDE & ENGINEERING SPECIFICATIONS.	V-4
ACTUATED VALVES • PRODUCT GUIDE & ENGINEERING SPECIFICATIONS	AV-4
PVC MOLDED DWV FITTINGS • TECHNICAL INFORMATION	MDWV-4
CPVC LABWASTE™ FITTINGS • TECHNICAL INFORMATION	LW-4
LXT® FITTINGS & VALVES • WEIGHTS & DIMENSIONS	LXT-4

The information continued in this publication is based on current information and Product design at the time of publication and is subject to change without notification. Our ongoing commitment to product improvement may result in some variations. No representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or results to be obtained therefrom. For verification of technical data or additional information not contained herein, please contact Spears® Technical Services Department [West Coast: (818) 364-1611 — East Coast: (717) 938-8844].

General Information

Recommendations For Installers And Users

Plastic piping systems should be **ENGINEERED, INSTALLED** and **OPERATED** in accordance with **ESTABLISHED DESIGN AND ENGINEERING STANDARDS AND PROCEDURES** for plastic piping systems. Suitability for the intended service application should be determined by the installer and/or user prior to installation of a plastic piping system. **PRIOR TO ASSEMBLY, all piping system components should be inspected for damage or irregularities. Mating components should be checked to assure that tolerances and engagements are compatible. Do not use any components that appear irregular or do not fit properly. Contact the appropriate manufacturer of the component product in question to determine usability. Consult all applicable codes and regulations for compliance prior to installation.**

WARNING: Spears® Manufacturing Company **DOES NOT RECOMMEND** the use of thermoplastic piping products for systems to transport or store compressed air or gases, or the testing of thermoplastic piping systems with compressed air or gases, in above and below ground locations. The use of Spears® products in compressed air or gas systems automatically voids Spears® warranty for such products, and their use against our recommendation is entirely the responsibility and liability of the installer. Spears® Manufacturing Company will not accept responsibility for damage or impairment of its products, or other consequential or incidental damages caused by misapplication, incorrect assembly and/or exposure to harmful substances or conditions.

Solvent Weld Connections — Use quality solvent cements and primers formulated for the intended service application, pipe size and type of joint. While the pipe and fitting materials may be compatible with the intended medium, the solvent cement may not be. Consult the manufacturers for suitability of use. Read and follow the cement and primer manufacturers' applications and cure time instructions thoroughly. Be sure to use the correct size applicator.

Threaded Connections — Use a quality grade thread sealant. **WARNING: SOME PIPE JOINT COMPOUNDS OR TEFLON PASTES MAY CONTAIN SUBSTANCES THAT COULD CAUSE STRESS CRACKING TO PLASTIC.** Spears® Manufacturing Company recommends the use of Spears® **BLUE 75™** Thread Sealant which has been tested for compatibility with Spears® products. Please follow the sealant manufacturers' application / installation instructions. Choice of an appropriate thread sealant other than those listed above is at the discretion of the installer. 1 to 2 turns beyond **FINGER TIGHT** is generally all that is required to make a sound plastic threaded connection. Unnecessary **OVERTIGHTENING** will cause **DAMAGE TO BOTH PIPE AND FITTING.**


NOT FOR USE WITH COMPRESSED AIR OR GASES

WARNING: DO NOT USE COMPRESSED AIR OR GAS TO TEST ANY PVC OR CPVC THERMOPLASTIC PIPING PRODUCT OR SYSTEM, AND DO NOT USE DEVICES PROPELLED BY COMPRESSED AIR OR GAS TO CLEAR SYSTEMS. THESE PRACTICES MAY RESULT IN EXPLOSIVE FRAGMENTATION OF SYSTEM PIPING AND COMPONENTS CAUSING SERIOUS OR FATAL BODILY INJURY.


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES




ASTM STANDARD DIMENSIONS



Nominal Pipe Size In.	Mean Outside Diameter In.	O. D. Tolerance In.	Minimum Wall Thickness In.
1/8	0.405	± 0.004	0.068
1/4	0.540	± 0.004	0.088
3/8	0.675	± 0.004	0.091
1/2	0.840	± 0.004	0.109
3/4	1.050	± 0.004	0.113
1	1.315	± 0.005	0.133
1-1/4	1.660	± 0.005	0.140
1-1/2	1.900	± 0.006	0.145
2	2.375	± 0.006	0.154
2-1/2	2.875	± 0.007	0.203
3	3.500	± 0.008	0.216
4	4.500	± 0.009	0.237
5	5.563	± 0.010	0.258
6	6.625	± 0.011	0.280
8	8.625	± 0.015	0.322
10	10.750	± 0.015	0.365
12	12.750	± 0.015	0.408



Nominal Size In.	Diameter			Socket Length Minimum C
	Entrance A	Bottom B	Tolerance A	
1/8	0.417	0.401	± 0.004	0.500
1/4	0.552	0.536	± 0.004	0.500
3/8	0.687	0.671	± 0.004	0.594
1/2	0.848	0.836	± 0.004	0.688
3/4	1.058	1.046	± 0.004	0.719
1	1.325	1.310	± 0.005	0.875
1-1/4	1.670	1.655	± 0.005	0.938
1-1/2	1.912	1.894	± 0.006	1.094
2	2.387	2.369	± 0.006	1.156
2-1/2	2.889	2.868	± 0.007	1.750
3	3.516	3.492	± 0.008	1.875
4	4.518	4.491	± 0.009	2.000
5	5.583	5.553	± 0.010	3.000
6	6.647	6.614	± 0.011	3.000
8	8.655	8.610	± 0.015	4.000
10	10.780	10.735	± 0.015	5.000
12	12.780	12.735	± 0.015	6.000



Nominal Size In.	Threads Per Inch.	Effective Thread Length L	Pitch Of Thread P
1/8	27	0.2639	0.03704
1/4	18	0.4018	0.05556
3/8	18	0.4078	0.05556
1/2	14	0.5337	0.07143
3/4	14	0.5457	0.07143
1	11-1/2	0.6828	0.08696
1-1/4	11-1/2	0.7068	0.08696
1-1/2	11-1/2	0.7235	0.08696
2	11-1/2	0.7565	0.08696
2-1/2	8	1.1375	0.12500
3	8	1.2000	0.12500
4	8	1.3000	0.12500
5	8	1.4063	0.12500
6	8	1.5125	0.12500
8	8	1.7125	0.12500

Molded Schedule 40 products are manufactured to ASTM D 2466 for use with pipe manufactured to ASTM D1785. Certain products carry reduced pressure handling capability and have maximum internal pressure ratings at 73° F noted.

Fabricated Schedule 40 pressure fittings (part numbers ending with "F") are manufactured to Spears® specifications for use with pipe manufactured to ASTM D1785. See publication FAB-7, General Specifications for Standard Fabricated Fittings for additional information.

All specified Schedule 40 products are manufactured from materials certified by NSF for use in potable water service.



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

Injection Molded Dimension References:

- G = (LAYING LENGTH) intersection of center lines to bottom of socket/thread; 90° elbows, tees, crosses; ± 1/32 inch.
- H = intersection of center lines to face of fitting; 90° elbows, tees, crosses; ± 1/32 inch.
- J = intersection of center lines to bottom of socket/thread; 45° elbows; ± 1/32 inch


- L = overall length of fittings; ± 1/16 inch.
- M = outside diameter of socket/thread hub; ± 1/16 inch.
- N = socket bottom to socket bottom; couplings; ± 1/16 inch.
- W = height of cap; ± 1/16 inch.

Fabricated Dimension References:

- G = (LAYING LENGTH) intersection of center lines to bottom of socket/thread; 90° elbows, tees, crosses; ± 1/4 inch; 14" & larger ± 1/2 inch.
- H = intersection of center lines to face of fitting; 90° elbows, tees, crosses; ± 1/4 inch.; wyes ± 1/2 inch; 14" & larger ± 1/2 inch.
- J = intersection of center lines to bottom of socket/thread; 45° elbows; ± 1/4 inch; 14" & larger ± 1/2 inch.


- L = overall length of fittings; ± 1/2 inch.; wyes ± 1 inch; 14" & larger ± 1 inch.
- M = outside diameter of socket/thread hub; ± 1/4 inch.
- N = socket bottom to socket bottom; couplings; ± 1/2 inch.
- W = height of cap; ± 1/4 inch.

Typical Fabricated Dimension References



TEE

Soc x Soc x Soc




Part Number	Size	G	G1	H	H1	L	M	Approx. Wt. (Lbs.)
401-003	3/8	7/16	7/16	1-3/16	1-3/16	2-3/8	7/8	.04
401-005	1/2	1/2	1/2	1-1/4	1-1/4	2-1/2	1-1/16	.06
401-007	3/4	9/16	9/16	1-9/16	1-9/16	3-1/8	1-5/16	.10
401-010	1	11/16	11/16	1-3/4	1-3/4	3-1/2	1-5/8	.16
401-012	1-1/4	7/8	7/8	2-1/8	2-1/8	4-1/4	1-15/16	.29
401-015	1-1/2	1-1/16	1-1/16	2-3/8	2-3/8	4-3/4	2-7/32	.33
401-020	2	1-5/16	1-5/16	2-11/16	2-11/16	5-3/8	2-23/32	.50
401-025	2-1/2	1-17/32	1-17/32	3-9/32	3-9/32	6-9/16	3-5/16	.92

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



TEE (continued)


Soc x Soc x Soc



Part Number	Size	G	G1	H	H1	L	M	Approx. Wt. (Lbs.)
401-030	3	1-31/32	1-13/16	3-27/32	3-13/16	7-11/16	4	1.53
401-040	4	2-13/32	2-3/8	4-7/16	4-13/32	8-7/8	5-1/32	2.20
401-050	5	3	3	6	6	12	6-1/16	4.32
401-060	6	3-1/2	3-17/32	6-31/32	6-19/32	13-15/32	7-1/4	6.00
401-080	8	4-15/32	4-17/32	8-1/2	8-17/32	17	9-3/8	11.67
401-100	10	5-25/32	5-25/32	10-27/32	10-27/32	21-11/16	11-11/16	24.97
401-120	12	6-13/16	6-13/16	12-13/16	12-13/16	25-5/8	13-3/4	37.96
401-120F	12	11-3/4	11-3/4	18	18	36	13-9/16	56.32
401-140F	14	12-1/2	12-1/2	19-1/2	19-1/2	39	14-7/8	75.11
401-160F	16	15	12-3/4	23	20-3/4	46	17	111.00
401-180F	18	14-7/8	13-1/2	23-7/8	22-1/2	47-3/4	19-1/8	151.26
401-200F	20	19-1/4	14-3/8	29-1/4	24-3/8	58-1/2	21-1/16	206.74
401-240F	24	21-1/8	17-1/4	33-1/8	29-1/4	66-1/4	25-1/2	337.03

REDUCING TEE

Soc x Soc x Soc




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
401-053	3/8x3/8x1/2	17/32	21/32	17/32	2-1/32	1-3/4	2-1/32	4-1/16	7/8	1-3/32	7/8	.08
401-074	1/2x1/2x3/4	9/16	9/16	9/16	1-5/16	1-9/16	1-5/16	2-5/8	1-1/16	1-9/32	1-1/16	.07
401-075	1/2x1/2x1	25/32	17/32	25/32	1-17/32	1-11/16	1-17/32	3-1/16	1-1/16	1-5/8	1-1/16	.11
401-094	3/4x1/2x1/2	9/16	21/32	1/2	1-9/16	1-13/32	1-1/4	2-13/16	1-5/16	1-3/32	1-1/16	.08
401-095	3/4x1/2x3/4	13/16	11/16	5/8	1-13/16	1-15/32	1-3/8	3-3/16	1-5/16	1-5/16	1-1/16	.10
401-101	3/4x3/4x1/2	9/16	5/8	9/16	1-1/2	1-3/8	1-1/2	2-15/16	1-5/16	1-1/16	1-5/16	.08
D401-101	3/4x3/4x1/2	9/16	19/32	17/32	1-17/32	1-27/32	1-17/32	3-1/16	1-5/16	1-3/32	1-5/16	.11
401-102	3/4x3/4x1	23/32	5/8	23/32	1-21/32	1-21/32	1-21/32	3-5/16	1-5/16	1-5/8	1-5/16	.11
401-122	1x1/2x1	13/16	27/32	23/32	1-15/16	1-31/32	1-1/2	3-7/16	1-5/8	1-5/8	1-1/16	.15



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING TEE (continued)

Soc x Soc x Soc




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
401-124	1x3/4x1/2	17/32	27/32	17/32	1-21/32	1-19/32	1-17/32	3-3/16	1-19/32	1-1/16	1-5/16	.13
401-125	1x3/4x3/4	21/32	25/32	5/8	1-25/32	1-25/32	1-5/8	3-7/16	1-19/32	1-5/16	1-5/16	.14
401-126	1x3/4x1	3/4	13/16	13/16	1-29/32	1-15/16	1-13/16	3-3/4	1-5/8	1-5/8	1-5/16	.17
401-130	1x1x1/2	9/16	13/16	9/16	1-5/8	1-9/16	1-5/8	3-3/16	1-5/8	1-1/16	1-5/8	.13
D401-130	1x1x1/2	17/32	3/4	17/32	1-21/32	2	1-21/32	3-5/16	1-5/8	1-1/16	1-5/8	.15
401-131	1x1x3/4	19/32	3/4	19/32	1-5/8	1-21/32	1-5/8	3-9/32	1-5/8	1-5/16	1-5/8	.14
401-132	1x1x1-1/4	31/32	27/32	31/32	2-3/32	2-3/32	2-3/32	4-3/16	1-5/8	1-31/32	1-5/8	.22
401-133	1x1x1-1/2	1-1/8	25/32	1-1/8	2-1/4	2-1/16	2-1/4	4-1/2	1-5/8	2-1/4	1-5/8	.26
401-134	1x1x2	1-3/8	13/16	1-3/8	2-1/2	2-3/16	2-1/2	5	1-5/8	2-23/32	1-5/8	.29
401-156	1-1/4x1x1/2	21/32	1	17/32	1-25/32	1-3/4	1-21/32	3-7/16	2	1-1/16	1-5/8	.17
401-157	1-1/4x1x3/4	5/8	1	21/32	1-29/32	2	1-25/32	3-11/16	1-31/32	1-5/16	1-5/8	.20
401-158	1-1/4x1x1	13/16	1	7/8	2-1/16	2-3/32	2	4	1-31/32	1-21/32	1-5/8	.22
401-166	1-1/4x1-1/4x1/2	17/32	29/32	17/32	1-25/32	1-21/32	1-25/32	3-9/16	1-31/32	1-3/32	1-31/32	.17
D401-166	1-1/4x1-1/4x1/2	17/32	1	17/32	1-25/32	2-7/32	1-25/32	3-9/16	1-31/32	1-3/32	1-31/32	.20
401-167	1-1/4x1-1/4x3/4	21/32	31/32	21/32	1-29/32	1-31/32	1-29/32	3-13/16	2	1-11/32	2	.22
401-168	1-1/4x1-1/4x1	13/16	1-5/32	13/16	2-1/16	2-9/32	2-1/16	4-1/8	1-21/32	1-21/32	1-31/32	.23
401-169	1-1/4x1-1/4x1-1/2	1-3/32	1	1-3/32	2-11/32	2-5/16	2-11/32	4-11/16	1-31/32	2-7/32	1-31/32	.30
401-170	1-1/4x1-1/4x2	1-11/32	1	1-11/32	2-19/32	2-3/8	2-19/32	5-3/16	2	2-3/4	2	.38
401-199	1-1/2x1-1/4x1/2	17/32	1-1/8	17/32	1-27/32	1-7/8	1-25/32	3-5/8	2-7/32	1-1/16	1-31/32	.22
401-201	1-1/2x1-1/4x3/4	5/8	1-3/32	5/8	1-15/16	2-1/8	1-15/16	3-7/8	2-1/4	1-5/16	2	.25
401-202	1-1/2x1-1/4x1	13/16	1-5/32	3/4	2-1/8	2-9/32	2-1/16	4-3/16	2-1/4	1-5/8	2	.28
401-209	1-1/2x1-1/2x1/2	17/32	1-1/32	17/32	1-27/32	1-25/32	1-27/32	3-11/16	2-3/16	1-1/16	2-3/16	.21
D401-209	1-1/2x1-1/2x1/2	17/32	1-1/16	17/32	1-27/32	2-5/16	1-27/32	3-11/16	2-7/32	1-1/16	2-7/32	.23
401-210	1-1/2x1-1/2x3/4	5/8	1	5/8	1-15/16	2	1-15/16	3-7/8	2-7/32	1-9/32	2-7/32	.24
401-211	1-1/2x1-1/2x1	25/32	1-1/8	25/32	2-3/32	2-1/4	2-3/32	4-3/16	2-7/32	1-19/32	2-7/32	.28
401-212	1-1/2x1-1/2x1-1/4	31/32	1-3/32	31/32	2-9/32	2-11/32	2-9/32	4-9/16	2-7/32	1-31/32	2-7/32	.34
401-213	1-1/2x1-1/2x2	1-5/16	1-1/8	1-5/16	2-11/16	2-1/2	2-11/16	5-5/16	2-1/4	2-3/4	2-1/4	.44
401-214	1-1/2x1-1/2x2-1/2	1-3/8	1-1/16	1-3/8	2-21/32	3-1/16	2-21/32	5-5/16	2-7/32	3-9/32	2-7/32	.48
401-233	2x1x2	1-1/4	1-1/4	1-7/32	2-19/32	2-19/32	2-11/32	5	2-3/4	2-3/4	1-5/8	.40
401-238	2x1-1/2x3/4	21/32	1-13/32	21/32	2-1/32	2-13/32	1-31/32	4	2-23/32	1-5/16	2-1/4	.31
401-239	2x1-1/2x1	13/16	1-3/8	3/4	2-3/16	2-1/2	2-1/8	4-5/16	2-3/4	1-5/8	2-1/4	.37
401-241	2x1-1/2x1-1/2	1	1-9/32	1-1/32	2-3/8	2-9/16	2-5/16	4-11/16	2-23/32	2-7/32	2-7/32	.37
401-247	2x2x1/2	17/32	1-5/16	17/32	1-29/32	2-3/32	1-29/32	3-13/16	2-23/32	1-3/32	2-23/32	.29
D401-247	2x2x1/2	9/16	1-7/32	9/16	1-15/16	2-1/2	1-15/16	3-7/8	2-23/32	1-1/16	2-23/32	.31

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCING TEE (continued)

Soc x Soc x Soc



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
401-248	2x2x3/4	21/32	1-11/32	21/32	2-1/32	2-11/32	2-1/32	4-1/16	2-23/32	1-5/16	2-23/32	.32
401-249	2x2x1	13/16	1-3/8	13/16	2-3/16	2-1/2	2-3/16	4-3/8	2-23/32	1-5/8	2-23/32	.36
401-250	2x2x1-1/4	1	1-3/8	1	2-3/8	2-5/8	2-3/8	4-23/32	2-23/32	1-31/32	2-23/32	.39
401-251	2x2x1-1/2	1-1/16	1-5/16	1-1/16	2-3/8	2-9/16	2-3/8	4-3/4	2-23/32	2-7/32	2-23/32	.41
401-253 ¹	2x2x3	2-7/8	1-13/16	2-7/8	4-1/4	3-13/16	4-1/4	8-1/2	4	4	3-15/16	2.64
401-254 ¹	2x2x4	3-13/32	2-3/8	3-13/32	4-25/32	4-3/8	4-25/32	9-9/16	5-1/16	5-1/16	5-1/16	3.89
401-287	2-1/2x2-1/2x1/2	25/32	1-15/32	25/32	2-17/32	2-7/32	2-17/32	5-1/16	3-5/16	1-1/16	3-5/16	.56
401-288	2-1/2x2-1/2x3/4	11/16	1-11/16	11/16	2-5/8	2-11/16	2-5/8	5-5/16	3-5/16	1-5/16	3-5/16	.58
401-289	2-1/2x2-1/2x1	13/16	1-17/32	13/16	2-13/16	2-21/32	2-13/16	5-5/8	3-5/16	1-5/8	3-5/16	.67
401-290	2-1/2x2-1/2x1-1/4	1	1-5/8	1	3	2-29/32	3	6	3-5/16	2	3-5/16	.75
401-291	2-1/2x2-1/2x1-1/2	1-1/8	1-23/32	1-1/8	3-3/32	3	3-3/32	6-3/16	3-9/32	2-7/32	3-9/32	.80
401-292	2-1/2x2-1/2x2	1-17/32	1-11/16	1-17/32	3-1/2	3-1/32	3-1/2	7	3-5/16	2-23/32	3-5/16	.88
401-293 ¹	2-1/2x2-1/2x3	2-1/4	1-31/32	2-1/4	4-1/4	3-13/16	4-1/4	8-15/32	4	4	4	2.37
401-294 ¹	2-1/2x2-1/2x4	2-3/4	2-3/8	2-3/4	4-3/4	4-3/8	4-3/4	9-1/2	5-1/16	5	5-1/16	4.03
401-333	3x3x1/2	17/32	1-13/16	17/32	2-17/32	2-9/16	2-17/32	5-1/16	3-31/32	1-1/16	3-31/32	.71
401-334	3x3x3/4	11/16	2	11/16	2-11/16	3-1/16	2-11/16	5-5/16	3-15/16	1-5/16	3-15/16	.80
401-335	3x3x1	25/32	1-13/16	25/32	2-25/32	2-15/16	2-25/32	5-9/16	3-31/32	1-19/32	3-31/32	.83
401-336	3x3x1-1/4	1	2-1/32	1	3	3-3/32	3	6	4	2	4	.92
401-337	3x3x1-1/2	1-3/32	1-13/16	1-3/32	3-3/32	3-3/32	3-3/32	6-3/16	4	2-7/32	4	.99
401-338	3x3x2	1-11/32	2	1-11/32	3-11/32	3-3/8	3-11/32	6-11/16	3-31/32	2-3/4	3-31/32	1.04
401-342	3x3x4	2-1/2	2	2-1/2	4-1/2	4	4-1/2	9	3-31/32	5	3-31/32	1.78
401-344	3x3x6	5-1/2	4	5-1/2	7-1/2	7	7-1/2	15	7-1/4	7-1/4	7-1/4	11.75
401-416	4x4x3/4	11/16	2-5/16	11/16	2-11/16	3-5/16	2-11/16	5-3/8	5-1/32	1-9/32	5-1/32	1.15
401-417	4x4x1	27/32	2-13/32	27/32	2-27/32	3-5/8	2-27/32	5-11/16	5	1-19/32	5	1.20
401-418	4x4x1-1/4	1-1/32	2-9/32	1-1/32	3	3-17/32	3	6	5	1-31/32	5	1.22
401-419	4x4x1-1/2	1-1/8	2-5/16	1-1/8	3-1/8	3-5/8	3-1/8	6-1/4	5	2-1/4	5	1.35
401-420	4x4x2	1-3/8	2-17/32	1-3/8	3-3/8	3-29/32	3-3/8	6-3/4	4-31/32	2-23/32	4-31/32	1.44
401-422	4x4x3	1-15/16	2-17/32	1-15/16	4-1/32	4-1/2	4-1/32	8-1/16	5-1/32	4	5-1/32	2.32
401-426 ¹	4x4x6	5-1/2	3-1/2	5-1/2	7-1/2	7	7-1/2	14-15/16	6-7/8	7-1/2	6-7/8	10.38
401-428 ¹	4x4x8	6-3/4	4-1/2	6-3/4	8-3/4	8-1/2	8-3/4	17-1/2	9-1/4	9-5/8	9-5/8	18.30
401-486	5x5x2	1-3/8	3-1/16	1-3/8	4-3/8	4-7/16	4-3/8	8-3/4	6-3/32	2-23/32	6-3/32	2.34
401-488	5x5x3	2	3	2	5-1/32	4-31/32	5-1/32	10-1/16	6-3/32	3-31/32	6-3/32	3.11
401-490	5x5x4	2-9/16	3-1/32	2-9/16	5-9/16	5	5-9/16	11-1/8	6-3/32	5	6-3/32	3.60
401-526 ¹	6x6x1-1/4	1-3/8	4-1/16	1-3/8	4-27/32	5-5/16	4-27/32	9-11/16	7-1/4	2-3/4	7-1/4	3.61


¹Outlet sized with bushing



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING TEE (continued)

Soc x Soc x Soc



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
401-527 ¹	6x6x1-1/2	1-3/8	3-7/8	1-3/8	4-27/32	5-3/16	4-27/32	9-11/16	7-1/4	2-11/16	7-1/4	3.60
401-528	6x6x2	1-3/8	3-19/32	1-3/8	4-27/32	4-31/32	4-27/32	9-11/16	7-3/16	2-11/16	7-3/16	3.39
401-529	6x6x2-1/2	2	3-15/16	2	5-1/2	5-15/16	5-1/2	10-15/16	7-3/16	3-15/16	7-3/16	4.29
401-530	6x6x3	2	3-19/32	2	5-15/32	5-19/32	5-15/32	10-15/16	7-3/16	3-15/16	7-3/16	4.02
401-532	6x6x4	2-17/32	3-5/8	2-17/32	6	5-5/8	6	12-1/16	7-3/16	5	7-3/16	4.54
401-533 ¹	6x6x5	3-1/2	4-1/2	3-1/2	7	7-1/2	7	14	7-3/16	7-3/16	7-3/8	8.46
401-535 ¹	6x6x8	5-3/8	5-1/2	5-3/8	8-7/8	9-1/2	8-7/8	17-3/4	9-1/2	9-3/4	9-1/2	19.21
401-537 ¹	6x6x10	8	5-13/16	8	11-3/8	10-13/16	11-3/8	22-3/4	11-1/2	11-9/16	11-1/2	38.30
401-578 ¹	8x8x2	2	5-7/8	2	6	7	6	12	9-1/4	4	9-1/4	11.71
401-579 ¹	8x8x2-1/2	2	5-5/16	2	6	7-5/16	6	12	9-5/16	4	9-5/16	6.62
401-580	8x8x3	1-31/32	4-11/16	1-31/32	6	6-21/32	6	12	9-1/4	3-31/32	9-1/4	6.28
401-582	8x8x4	2-17/32	4-11/16	2-17/32	6-17/32	6-11/16	6-17/32	13-1/16	9-9/32	4-31/32	9-9/32	7.02
401-583 ¹	8x8x5	3-21/32	5-1/4	3-21/32	7-21/32	8-1/4	7-21/32	15-5/16	9-5/16	7-1/4	9-5/16	10.60
401-585	8x8x6	3-21/32	4-23/32	3-21/32	7-21/32	7-23/32	7-21/32	15-5/16	9-5/16	7-3/16	9-5/16	8.67
401-589 ¹	8x8x10	6-23/32	5-11/16	6-23/32	11-7/32	10-1/2	11-7/32	22-7/16	11-9/16	11-9/16	11-9/16	34.76
401-621F	10x10x2	5-5/8	7-1/8	5-3/8	10-5/8	8-7/8	10-5/8	21-1/4	11-1/2	2-11/16	11-1/2	19.60
401-623 ¹	10x10x3	3-13/16	7	3-13/16	9-3/8	9	9-3/8	18-3/4	12	7-1/2	12	25.54
401-624 ¹	10x10x4	3-27/32	7-3/8	3-27/32	9-11/32	9-3/8	9-11/32	18-11/16	12	7-1/2	12	25.63
401-628 ¹	10x10x8	5-3/4	7-3/16	5-3/4	10-7/8	11-1/4	10-7/8	21-11/16	11-11/16	11-11/16	11-1/2	29.85
401-661F	12x12x2	5-3/4	8	5-3/4	12	9-3/4	12	24	13-1/2	2-3/4	13-1/2	29.52
401-663F	12x12x3	6-3/8	8-7/8	6-3/8	12-5/8	11-1/8	12-5/8	25-1/4	13-1/2	3-7/8	13-1/2	31.41
401-664F	12x12x4	6-3/4	9-1/4	6-3/4	13	11-1/2	13	26	13-1/2	5	13-1/2	32.40
401-666 ¹	12x12x6	4-7/8	8-5/16	4-7/8	11-7/16	11-3/4	11-7/16	22-13/16	14-1/4	9-3/4	14-1/4	44.02
401-668	12x12x8	4-27/32	7-1/8	4-27/32	11-13/32	11-1/8	11-13/32	22-13/16	14-1/4	9-3/4	14-1/4	40.00
401-670	12x12x10	6-13/16	7-3/8	6-13/16	12-13/16	13-1/4	12-13/16	25-5/8	13-3/4	13-3/4	13-3/4	50.00
401-670F	12x12x10	10-1/4	9-7/8	10-1/4	16-1/2	15-1/8	16-1/2	33	13-1/2	11-1/2	13-1/2	50.00
401-676F	12x12x16	18-1/2	12-3/4	18-1/2	30-1/4	20-3/4	30-1/4	60-1/2	14-1/8	17	14-1/8	144.87
401-678F	12x12x18	14-1/4	13	17-7/8	23-1/4	22	23-7/8	47-3/4	19-1/8	19-1/8	19-1/8	252.00
401-691F	14x14x2	6	9-1/4	6	13	11	13	26	14-7/8	2-3/4	14-7/8	35.53
401-693F	14x14x3	6-3/4	9-1/2	6-3/4	13-3/4	11-3/4	13-3/4	27-1/2	14-7/8	4	14-7/8	38.35
401-694F	14x14x4	7-1/2	10	7-1/2	14-1/2	12-1/4	14-1/2	29	14-7/8	5	14-7/8	38.58
401-696F	14x14x6	8	10-1/4	8	15	13-1/2	15	30	14-7/8	7-1/8	14-7/8	45.70
401-698F	14x14x8	9-1/8	10-1/2	9-3/32	16-1/8	14-3/4	16-3/32	32-3/16	14-7/8	9-3/8	14-7/8	51.99


¹Outlet sized with bushing

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCING TEE (continued)

Soc x Soc x Soc




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
401-700F	14x14x10	10-1/2	10-3/4	10-1/2	17-1/2	16	17-1/2	35	14-7/8	11-1/2	14-7/8	61.56
401-702F	14x14x12	11-1/2	10-3/8	11-1/2	18-1/2	16-5/8	18-1/2	37	14-7/8	13-1/2	14-7/8	62.78
401-751F	16x16x2	6-1/2	10-1/4	6-1/2	14-1/2	12	14-1/2	29	17	2-3/4	17	51.76
401-753F	16x16x3	7-1/2	10-1/2	7-1/2	15-1/2	12-3/4	15-1/2	31	17	3-7/8	17	57.67
401-754F	16x16x4	8	10-7/8	8	16	13-1/8	16	32	17	5	17	81.87
401-756F	16x16x6	9	11	9	17	14-1/4	17	34	17	7-1/4	17	66.52
401-758F	16x16x8	10	11-1/8	10	18	15-3/8	18	36	17	9-1/4	17	73.17
401-760F	16x16x10	11	11-1/2	11	19	16-3/4	19	38	17	11-1/2	17	73.88
401-762F	16x16x12	12	11-1/4	12	20	17-1/2	20	40	17	13-1/2	17	85.48
401-764F	16x16x14	13	13	13	21	20	21	42	17	14-7/8	17	95.95
401-784F	18x18x4	7-7/8	12	7-7/8	16-7/8	14-1/4	16-7/8	33-3/4	19-1/8	5	19-1/8	82.00
401-786F	18x18x6	8-7/8	11-3/4	8-7/8	17-7/8	15	17-7/8	35-3/4	19-1/8	7-1/4	19-1/8	88.04
401-788F	18x18x8	9-7/8	12-1/8	9-7/8	18-7/8	16-3/8	18-7/8	37-3/4	19-1/8	9-1/4	19-1/8	107.00
401-790F	18x18x10	10-7/8	13	10-7/8	19-7/8	18-1/4	19-7/8	39-3/4	19-1/8	11-1/2	19-1/8	104.41
401-792F	18x18x12	12	12-1/2	12	21	18-3/4	21	42	19-1/8	14-1/8	19-1/8	113.48
401-794F	18x18x14	12-7/8	13-1/2	12-7/8	21-7/8	20-1/2	21-7/8	43-3/4	19-1/8	14-7/8	19-1/8	116.67
401-796F	18x18x16	13-7/8	13-1/2	13-7/8	22-7/8	21-1/2	22-7/8	45-3/4	19-1/8	17	19-1/8	134.41
401-811F	20x20x2	7	12	7	17	13-3/4	17	34	21-3/16	21-11/16	21-3/16	81.39
401-813F	20x20x3	8	13	8	18	15-1/4	18	36	21-3/16	3-15/16	21-3/16	91.14
401-814F	20x20x4	8-1/4	13	8-1/4	18-1/4	15-1/4	18-1/4	36-1/2	21-1/4	5	21-1/4	72.10
401-816F	20x20x6	9-1/4	12-7/8	9-1/4	19-1/4	16-1/8	19-1/4	38-1/2	21-1/4	7-1/4	21-1/4	81.39
401-818F	20x20x8	10-1/4	13-1/4	10-1/4	20-1/4	17-1/2	20-1/4	40-1/2	21-1/4	9-1/4	21-1/4	91.76
401-820F	20x20x10	11-1/4	13-1/2	11-1/4	21-1/4	18-3/4	21-1/4	42-1/2	21-1/4	11-1/2	21-1/4	125.44
401-822F	20x20x12	12-1/4	13-3/8	12-1/4	22-1/4	19-5/8	22-1/4	44-1/2	21-1/4	13-1/2	21-1/4	129.36
401-824F	20x20x14	13-1/4	14-1/4	13-1/4	23-1/4	21-1/4	23-1/4	46-1/2	21-1/4	14-7/8	21-1/4	123.55
401-826F	20x20x16	14-3/4	14-1/8	14-3/4	24-3/4	22-1/8	24-3/4	49-1/2	21-1/4	16-7/8	21-1/4	154.48
401-828F	20x20x18	16-1/4	14	16-1/4	26-1/4	23	26-1/4	52-1/2	21-1/4	19-1/8	21-1/4	155.22
401-901F	24x24x2	10-1/2	14-11/16	10-1/2	22-1/2	16-7/16	22-1/2	45	25-3/8	2-11/16	25-3/8	156.00
401-903F	24x24x3	11	15-11/16	11	23	17-15/16	23	46	25-3/8	3-15/16	25-3/8	161.00
401-904F	24x24x4	11-1/8	15	11-1/8	23-1/8	17-1/4	23-1/8	46-1/4	25-3/8	5	25-3/8	148.46
401-906F	24x24x6	12-1/8	14-7/8	12-1/8	24-1/8	18-1/8	24-1/8	48-1/4	25-3/8	7-1/4	25-3/8	159.56
401-908F	24x24x8	13-1/8	15-1/8	13-1/8	25-1/8	19-3/8	25-1/8	50-1/4	25-3/8	9-1/4	25-3/8	171.52
401-910F	24x24x10	14-1/8	15-1/2	14-1/8	26-1/8	20-3/4	26-1/8	52-1/4	25-3/8	11-1/2	25-3/8	213.94
401-912F	24x24x12	15-1/8	15-1/4	15-1/8	27-1/8	21-1/2	27-1/8	54-1/4	25-3/8	13-1/2	25-3/8	199.98



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING TEE (continued)


Soc x Soc x Soc



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
401-914F	24x24x14	16-1/8	17	16-1/8	28-1/8	24	28-1/8	56-1/4	25-3/8	14-7/8	25-3/8	232.53
401-916F	24x24x16	17-1/8	16-1/8	17-1/8	29-1/8	24-1/8	29-1/8	58-1/4	25-3/8	17	25-3/8	243.33
401-918F	24x24x18	18-1/8	16-1/4	18-1/8	30-1/8	25-1/4	30-1/8	60-1/4	25-3/8	19-1/8	25-3/8	237.92
401-920F	24x24x20	19-1/8	16-7/8	19-1/8	31-1/8	26-7/8	31-1/8	62-1/4	25-3/8	21-1/4	25-3/8	244.92

REDUCING SHORT SOCKET TEE

Soc x Soc x Soc




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
S401-249	2x2x1	11/16	2-7/32	11/16	2-3/32	1-1/4	1-11/32	3-7/16	2-23/32	1-5/8	2-23/32	.28
S401-251	2x2x1-1/2	1	1-1/4	31/32	2-3/8	2-3/8	1-5/8	4	2-23/32	2-7/32	2-23/32	.34

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



TRANSITION TEE


Soc x Soc x Insert



Part Number	Size	G	G1	H	H1	L	M	P	Approx. Wt. (Lbs.)
1102-007	3/4	13/32	3/4	1-13/32	2-1/4	2-13/16	1-5/16	1-1/2	.09
1102-130	1x1x1/2	3/16	13/16	1-7/16	2-5/16	2-7/8	1-19/32	1-1/2	.11
1102-248	2x2x3/4	1/2	1-7/16	1-27/32	2-15/16	3-11/16	2-23/32	1-1/2	.27
1102-250	2x2x1-1/4	11/16	1-15/32	2-1/16	2-31/32	4-1/8	2-3/4	1-1/2	.34

STREET TEE

Spig x Soc x Soc




Part Number	Size	G	G1	G2	H	H1	H2	L	M1	M2	Approx. Wt. (Lbs.)
444-005	1/2	23/32	23/32	1/2	1-19/32	1-21/32	1-19/32	3-5/32	1-3/16	1-3/16	.10
444-007	3/4	13/16	27/32	7/8	1-13/16	1-7/8	1-13/16	3-5/8	1-13/32	1-13/32	.15
444-010	1	1	1-31/32	1-31/32	2-1/8	2	2-1/8	4-7/32	1-3/4	1-3/4	.25
444-012	1-1/4	1-1/4	1-5/32	1-1/8	2-7/16	2-5/16	2-7/16	4-27/32	2-3/32	2-3/32	.39
444-015	1-1/2	1-13/16	1-1/8	1-1/8	2-7/8	2-9/16	2-9/16	5-3/8	2-11/32	2-11/32	.51
444-020	2	1-19/32	1-11/16	1-19/32	3-3/32	3-3/16	3-3/32	6-5/32	2-7/8	2-7/8	.78



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

TEE


Soc x Soc x Fipt



Part Number	Size	G	G1	H	H1	L	M	Approx. Wt. (Lbs.)
402-003	3/8	7/16	1/2	1-11/16	1-1/16	3-3/8	29/32	.06
402-005	1/2	1/2	17/32	1-1/4	1-1/4	2-1/2	1-3/32	.06
402-007	3/4	21/32	23/32	1-21/32	1-7/16	3-9/32	1-5/16	.11
402-010	1	13/16	7/8	1-15/16	1-7/8	3-7/8	1-5/8	.17
402-012	1-1/4	29/32	1-1/8	2-5/32	2-1/16	4-5/16	2	.30
402-015	1-1/2	1-1/32	15/16	2-11/32	2-1/16	4-11/16	2-1/4	.35
402-020	2	1-3/8	1-11/32	2-3/4	2-13/32	5-1/2	2-3/4	.49
402-025	2-1/2	1-11/16	1-21/32	3-21/32	3-7/32	7-5/16	3-11/32	1.09
402-030	3	2	1-31/32	4	3-19/32	8	3-31/32	1.52
402-040	4	2-17/32	2-23/32	4-1/2	4-15/32	9	5-1/16	2.66

REDUCING TEE

Soc x Soc x Fipt




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
402-071	1/2x1/2x1/8	5/16	13/32	5/16	1-1/16	13/16	1-1/16	2-5/32	1-3/32	5/8	1-3/32	.04
402-072	1/2x1/2x1/4	3/8	9/16	3/8	1-1/8	1-1/8	1-1/8	2-1/4	1-1/16	13/16	1-1/16	.05
402-074	1/2x1/2x3/4	21/32	1/2	21/32	1-13/32	1-5/16	1-13/32	2-13/16	1-1/16	1-11/32	1-3/32	.08
402-094	3/4x1/2x1/2	1/2	11/16	9/16	1-1/2	1-7/16	1-5/16	2-13/16	1-9/32	1-1/16	1-3/32	.10
402-095	3/4x1/2x3/4	13/16	21/32	5/8	1-13/16	1-7/16	1-3/8	3-3/16	1-5/16	1-5/16	1-3/32	.11
402-101	3/4x3/4x1/2	17/32	3/4	17/32	1-17/32	1-13/32	1-17/32	3-1/16	1-5/16	1-3/32	1-5/16	.10
402-124	1x3/4x1/2	17/32	13/16	17/32	1-21/32	1-9/16	1-17/32	3-3/16	1-5/8	1-1/16	1-5/16	.13
402-125	1x3/4x3/4	9/16	23/32	11/16	1-11/16	1-17/32	1-11/16	3-3/8	1-19/32	1-9/32	1-9/32	.13
402-130	1x1x1/2	1/2	7/8	1/2	1-5/8	1-9/16	1-5/8	3-1/4	1-5/8	1-1/8	1-5/8	.13
402-131	1x1x3/4	21/32	13/16	21/32	1-25/32	1-17/32	1-25/32	3-9/16	1-5/8	1-5/16	1-5/8	.15
402-156	1-1/4x1x1/2	1/2	1	1/2	1-25/32	1-3/4	1-25/32	3-9/16	2	1-1/16	1-5/8	.19
402-157	1-1/4x1x3/4	13/16	1-1/32	3/4	1-13/16	1-23/32	1-3/4	3-9/16	2	1-5/16	1-5/8	.18
402-158	1-1/4x1x1	13/16	1-5/32	13/16	2-1/16	2-1/8	1-15/16	4	1-31/32	1-21/32	1-5/8	.26
402-166	1-1/4x1-1/4x1/2	7/16	31/32	7/16	1-11/16	1-11/16	1-11/16	3-3/8	1-31/32	1-3/32	1-31/32	.18

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCING TEE (continued)

Soc x Soc x Fipt



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
402-167	1-1/4x1-1/4x3/4	19/32	1-3/16	19/32	1-27/32	1-25/32	1-27/32	3-13/16	1-31/32	1-5/16	1-31/32	.19
402-168	1-1/4x1-1/4x1	21/32	1-1/32	21/32	1-7/8	1-27/32	1-7/8	3-25/32	1-31/32	1-5/8	1-31/32	.22
402-199	1-1/2x1-1/4x1/2	9/16	1-1/8	9/16	1-7/8	1-7/8	1-7/8	3-3/4	2-1/4	1-1/16	2	.23
402-201	1-1/2x1-1/4x3/4	11/16	1-5/32	5/8	1-31/32	2-5/32	1-29/32	3-7/8	2-1/4	1-5/16	2	.26
402-202	1-1/2x1-1/4x1	13/16	1-1/8	3/4	2-1/8	2-1/4	2-1/16	4-3/16	2-1/4	1-5/8	2	.30
402-209	1-1/2x1-1/2x1/2	7/16	1-3/32	7-16	1-3/4	1-13/16	1-3/4	3-1/2	2-7/32	1-3/32	2-7/32	.21
402-210	1-1/2x1-1/2x3/4	21/32	1-1/16	21/32	1-31/32	1-27/32	1-31/32	3-15/16	2-7/32	1-5/16	2-7/32	.24
402-211	1-1/2x1-1/2x1	23/32	1-1/16	23/32	2	1-31/32	2	4	2-7/32	1-5/8	2-7/32	.26
402-212	1-1/2x1-1/2x1-1/4	1	1-5/32	31/32	2-9/32	2-5/32	2-19/64	4-19/32	2-1/4	2	2-1/4	.33
402-238	2x1-1/2x3/4	11/16	1-13/32	5/8	2-1/32	2-13/32	1-31/32	4	2-3/4	1-5/16	2-1/4	.32
402-239	2x1-1/2x1	13/16	1-13/32	3/4	2-3/16	2-17/32	2-1/8	4-5/16	2-3/4	1-5/8	2-1/4	.38
402-247	2x2x1/2	5/8	1-7/16	5/8	2	2-1/8	2	4-1/16	2-3/4	1-1/16	2-3/4	.32
402-248	2x2x3/4	21/32	1-11/32	21/32	2-1/32	2-3/32	2-1/32	4-1/16	2-23/32	1-5/16	2-23/32	.31
402-249	2x2x1	13/16	1-11/32	13/16	2-3/16	2-1/4	2-3/16	4-3/8	2-23/32	1-19/32	2-23/32	.34
402-250	2x2x1-1/4	1	1-3/8	1	2-3/8	2-5/16	2-3/8	4-3/4	2-23/32	1-31/32	2-23/32	.40
402-251	2x2x1-1/2	15/16	1-9/32	15/16	2-1/2	2-7/32	2-1/2	4-19/32	2-11/16	2-7/32	2-11/16	.40
402-287	2-1/2x2-1/2x1/2	9/16	1-21/32	9/16	2-17/32	2-13/32	2-17/32	5-1/16	3-11/32	1-3/32	3-11/32	.60
402-288	2-1/2x2-1/2x3/4	11/16	1-23/32	11/16	2-21/32	2-15/32	2-21/32	5-5/16	3-5/16	1-9/32	3-5/16	.64
402-289	2-1/2x2-1/2x1	13/16	1-11/16	13/16	2-13/16	2-21/32	2-13/16	5-5/8	3-5/16	1-5/8	3-5/16	.69
402-290	2-1/2x2-1/2x1-1/4	1	1-5/8	1	3	2-21/32	3	6	3-5/16	2	3-5/16	.74
402-291	2-1/2x2-1/2x1-1/2	1-1/8	1-23/32	1-1/8	3-3/32	2-21/32	3-3/32	6-3/16	3-5/16	2-7/32	3-5/16	.80
402-292	2-1/2x2-1/2x2	1-9/32	1-25/32	1-9/32	3	2-25/32	3	6-1/32	3-11/32	3	3-11/32	.89
402-333	3x3x1/2	9/16	2-1/16	9/16	2-17/32	2-25/32	2-17/32	5-11/16	3-31/32	1-3/32	3-31/32	.74
402-334	3x3x3/4	13/16	2-1/32	13/16	2-23/32	2-25/32	2-23/32	5-13/32	4	1-3/8	4	.83
402-335	3x3x1	13/16	2	13/16	2-13/16	3	2-13/16	5-5/8	3-31/32	1-19/32	3-31/32	.84
402-336	3x3x1-1/4	31/32	2	31/32	2-31/32	3	2-31/32	5-15/16	3-31/32	2	3-31/32	.95
402-337	3x3x1-1/2	1-7/32	2-1/8	1-7/32	3-3/32	3-1/16	3-3/32	6-3/16	3-31/32	2-13/32	3-31/32	1.02
402-338	3x3x2	1-1/2	2-1/8	1-1/2	3-3/8	3-1/8	3-3/8	6-25/32	4	3	4	1.22
402-417	4x4x1	27/32	2-5/8	27/32	2-7/8	3-1/2	2-7/8	5-3/4	5-1/32	1-11/16	5-1/32	1.26
402-419	4x4x1-1/2	1-1/8	2-1/2	1-1/8	3-1/8	3-1/2	3-1/8	6-1/4	5	2-1/4	5	1.33
402-420	4x4x2	1-3/8	2-13/16	1-3/8	3-3/8	3-7/8	3-3/8	6-3/4	5	2-11/16	5	1.43
402-422	4x4x3	1-31/32	2-9/16	1-31/32	4-1/32	4-3/16	4-1/32	8-1/16	5	4	5	2.27
402-490	5x5x4	2-1/2	3-1/8	2-1/2	5-17/32	4-29/32	5-17/32	11-1/16	6-3/32	5-1/32	6-3/32	3.69
402-525 ¹	6x6x1	1-3/8	4-11/32	1-3/8	4-27/32	5-11/32	4-27/32	9-11/16	7-7/32	2-23/32	7-7/32	3.66
402-528	6x6x2	1-3/8	3-5/8	1-3/8	4-27/32	4-11/16	4-27/32	9-11/16	7-1/4	2-3/4	7-1/4	3.62
402-530	6x6x3	1-31/32	3-19/32	1-31/32	5-15/32	5-7/32	5-15/32	10-15/16	7-3/16	3-31/32	7-3/16	4.55
402-532	6x6x4	2-1/2	3-19/32	2-1/2	5-31/32	5-5/16	5-31/32	11-15/16	7-1/4	5-1/32	7-1/4	4.96


¹Outlet sized with bushing



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING TEE (continued)

Soc x Soc x Fipt




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
402-578 ¹	8x8x2	2	6-1/8	2	6	7-1/8	6	12	9-5/16	3-15/16	9-5/16	6.81
402-580 ¹	8x8x3	2-9/16	5-23/32	1-31/32	6-9/16	7-5/16	6-9/16	13-1/8	9-5/16	5	9-5/16	7.69
402-582 ¹	8x8x4	2-1/2	4-15/16	2-1/2	6-31/32	6-21/32	6-31/32	13-15/16	9-5/16	5	9-5/16	11.20
402-621F	10x10x2	5-1/4	6-11/16	5-1/4	10-1/2	7-3/4	10-1/2	21	11-9/16	2-13/16	11-9/16	17.51
402-622F	10x10x2-1/2	5-1/2	8-1/2	5-1/2	10-3/4	10-1/4	10-3/4	21-1/2	11-9/16	3-5/16	11-9/16	14.80
402-623F	10x10x3	5-3/4	6-7/8	5-3/4	11	8-1/2	11	22	11-9/16	4	11-9/16	20.79
402-624F	10x10x4	6-3/8	7	6-3/8	11-5/8	8-3/4	11-5/8	23-1/4	11-1/2	5-1/16	11-1/2	22.95
402-661F	12x12x2	5-3/4	7-13/16	5-3/4	12	8-7/8	12	24	13-5/8	2-13/16	13-5/8	23.13
402-663F	12x12x3	6-1/4	9	6-1/4	12-1/2	10-5/8	12-1/2	25	13-5/8	4	13-5/8	29.30
402-664F	12x12x4	6-7/8	8-1/4	6-7/8	13-1/8	10	13-1/8	26-1/4	13-9/16	5-1/16	13-9/16	31.48

¹Outlet sized with bushing

TEE


Soc x Soc x Mipt



Part Number	Size	G	G1	H	H1	L	M	Approx Wt. (Lbs.)
402B-010	1	5/8	1-1/16	1-3/4	2	3-7/16	1-5/8	.15

SPECIAL REINFORCED TEE

Soc x Soc x SR Fipt




Part Number	Size	G	G1	H	H1	L	M	M1	Approx Wt. (Lbs.)
402-005SR	1/2	19/32	15/32	1-15/32	1-11/32	2-15/16	1-5/32	13/16	.13
402-012SR	1-1/4	29/32	1-1/8	2-5/32	2-1/16	4-5/16	1-31/32	2-1/16	.31

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



SPECIAL REINFORCED REDUCING TEE


Soc x Soc x SR Fipt



Part Number	Size	G	G1	H	H1	L	M	M1	Approx Wt. (Lbs.)
402-072SR	1/2x1/2x1/4	15/32	11/16	1-5/16	1-7/32	2-5/8	1-5/32	13/16	.09
402-098SR	3/4x3/4x1/4	7/16	13/16	1-7/16	1-11/32	2-7/8	1-3/8	13/16	.12
402-101SR	3/4x3/4x1/2	25/32	1/2	1-5/8	1-7/16	3-1/4	1-3/8	1-3/16	.15
402-292SR	2-1/2x2-1/2x2	1-9/32	1-25/32	3	2-25/32	6-1/32	3-11/32	3	.94
402-334SR	3x3x3/4	13/16	2-1/32	2-23/32	2-25/32	5-13/32	4	1-3/8	.84
402-337SR	3x3x1-1/2	1-7/32	2-1/8	3-3/32	3-3/32	6-9/32	3-31/32	2-7/16	1.06
402-338SR	3x3x2	1-1/2	2-1/16	3-13/32	3-1/16	6-7/8	4	3	1.20
402-417SR	4x4x1	27/32	2-5/8	27/32	3-17/32	5-3/4	5-1/32	1-23/32	1.28

REDUCING TEE


Soc x Fipt x Soc



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
403-095	3/4x1/2x3/4	11/16	11/16	11/16	1-11/16	1-11/16	1-3/8	3-3/32	1-13/32	1-13/32	1-3/16	.15

SPECIAL REINFORCED REDUCING TEE

Soc x SR Fipt x Soc




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	M2	Approx. Wt. (Lbs.)
403-095SR	3/4x1/2x3/4	11/16	11/16	23/32	1-11/16	1-11/16	1-13/32	3-1/8	1-13/32	1-13/32	1-7/32	.16



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

TEE


Fipt x Fipt x Fipt



Part Number	Size	G	H	L	M	Approx. Wt. (Lbs.)
405-005	1/2	17/32	1-1/4	2-1/2	1-3/32	.08
405-007	3/4	19/32	1-3/8	2-3/4	1-9/32	.10
405-010	1	11/16	1-19/32	3-3/16	1-23/32	.19
405-012	1-1/4	15/16	1-15/16	3-7/8	2-7/32	.48
405-015	1-1/2	1	2	4	2-3/16	.37
405-020	2	1-1/4	2-9/32	4-9/16	2-23/32	.56

VENTURIED TEE


1" Socket x 3/4" Socket (1" Spigot) x 3/4" Socket (1" Spigot)



Part Number	Size	G	G1	G2	H	H1	H2	M	M1	M2	Approx. Wt. (Lbs.)
473-825	1x3/4x3/4	19/32	27/32	3/4	1-1/2	1-11/16	1-25/32	1-5/8	1-5/16	1-5/16	.15

MANIFOLD TEE

Spig x Soc x Mipt




Part Number	Size	G	G1	G2	H	H1	H2	L	M2	Approx. Wt. (Lbs.)
476-010	1	1-13/16	1-5/16	1-21/32	2-5/8	2-1/8	2-5/8	5-1/4	1-21/32	.23

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



MANIFOLD TEE


Spig x Soc x Fipt



Part Number	Size	G	G1	G2	H	H1	H2	L	M1	M2	Approx. Wt. (Lbs.)
477-010	1	1-23/32	1-1/4	1-11/16	2-5/8	2-5/32	2-5/8	5-1/4	1-21/32	1-21/32	.27

90° ELL

Soc x Soc




Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
406-003	3/8	3/8	1-1/8	7/8	.03
406-005	1/2	1/2	1-1/4	1-1/16	.05
406-007	3/4	1/2	1-1/2	1-5/16	.07
406-010	1	11/16	1-13/16	1-5/8	.12
406-012	1-1/4	1-1/32	2-7/32	1-31/32	.21
406-015	1-1/2	1	2-5/16	2-1/4	.27
406-020	2	1-9/32	2-21/32	2-3/4	.37
406-025	2-1/2	1-15/16	3-7/32	3-5/16	.71
406-030	3	1-27/32	3-23/32	3-31/32	1.06
406-040	4	2-9/32	4-5/16	5	1.65
406-045F	4-1/2	7-1/8	9-5/8	5-1/2	3.13
406-050	5	2-15/16	6	6-1/8	3.52
406-060	6	3-1/2	6-29/32	7-9/32	5.12
406-080	8	4-7/16	8-15/32	9-5/16	8.88
406-100	10	5-3/4	10-3/4	11-1/2	27.97
406-100F	10	9-1/2	14-3/4	11-1/2	17.40
406-120	12	7-1/16	13-9/16	14-1/4	27.98
406-120F	12	10-1/2	16-3/4	13-9/16	25.94
406-140F	14	12-1/4	19-1/4	14-7/8	47.26
406-160F	16	14-1/8	22-1/8	17	69.70
406-180F	18	20-5/8	29-5/8	19-1/8	104.20
406-200F	20	22	32	21-3/16	131.93
406-240F	24	26-5/8	38-5/8	25-3/8	216.00



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING 90° ELL


Soc x Soc



Part Number	Size	G	G1	H	H1	M	M1	Approx. Wt. (Lbs.)
406-053	3/8x1/2	11/32	9/16	1-19/32	2-1/16	7/8	1-1/8	.06
406-101	3/4x1/2	1/2	19/32	1-1/2	1-11/32	1-5/16	1-3/32	.06
D406-101	3/4x1/2	1/2	11/16	1-1/2	1-15/16	1-5/16	1-1/8	.08
406-130	1x1/2	9/16	1-1/16	1-11/16	1-13/16	1-5/8	1-1/8	.08
D406-130	1x1/2	9/16	19/32	1-11/16	1-27/32	1-5/8	1-3/32	.13
406-131	1x3/4	21/32	23/32	1-25/32	1-23/32	1-19/32	1-5/16	.12
406-166	1-1/4x1/2	13/32	29/32	1-25/32	1-21/32	1-31/32	1-3/32	.13
D406-166	1-1/4x1/2	9/16	1	1-25/32	2-1/4	2	1-3/32	.12
406-167	1-1/4x3/4	21/32	1	1-29/32	2	2	1-5/16	.14
406-168	1-1/4x1	11/16	7/8	2-1/16	2	2	1-5/8	.16
406-209	1-1/2x1/2	15/32	1-1/8	1-23/32	2-1/4	2-7/32	1-1/8	.19
406-211	1-1/2x1	1-1/16	1-5/16	2-7/16	2-7/16	2-1/4	1-5/8	.29
406-212	1-1/2x1-1/4	31/32	1-3/32	2-9/32	2-11/32	2-7/32	1-31/32	.24
406-249	2x1	27/32	1-11/32	2-7/32	2-15/32	2-23/32	1-19/32	.26
406-250	2x1-1/4	1-1/32	1-7/16	2-13/32	2-21/32	2-23/32	1-31/32	.31
406-251	2x1-1/2	1-3/32	1-1/4	2-15/32	2-9/16	2-3/4	2-1/4	.32
406-251N	2x1-1/2(2)	1-1/16	1-17/32	2-7/16	2-15/16	2-23/32	2-3/8	.20
406-292	2-1/2x2	1-1/4	1-1/2	3	2-7/8	3-11/32	2-23/32	.56
406-292N	2-1/2x2(2-1/2)	1-1/4	2-9/32	3	3-3/16	3-5/16	2-7/8	.71

90° SWEEP ELBOW

Soc x Soc




Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
406-005S	1/2	27/32	1-23/32	1-3/16	.08
406-007S	3/4	1-1/32	2-1/32	1-13/32	.12
406-010S	1	1-5/16	2-7/16	1-23/32	.20
406-012S	1-1/4	1-9/16	2-13/16	2-3/32	.29
406-015S	1-1/2	1-3/4	3-5/32	2-11/32	.38
406-020S	2	2-5/16	3-13/16	2-7/8	.68

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



LONG SWEEP ELBOW


Soc x Soc



Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
406-025LSF	2-1/2	5-7/16	7-7/16	3-1/4	1.26
406-030LSF	3	6-5/8	8-5/8	3-15/16	1.87
406-040LSF	4	8-3/8	10-5/8	5	2.69
406-060LSF	6	12-5/8	15-7/8	7-3/16	6.92
406-080LSF	8	22-9/16	26-13/16	9-1/4	19.43

90° ELL

Soc x Fipt & Soc x SR Fipt




Part Number	Size	G	G1	H	H1	M	Approx. Wt. (Lbs.)	
407-005	407-005SR	1/2	1/2	9/16	1-1/4	1-1/4	1-1/16	.06
407-007	407-007SR	3/4	9/16	17/32	1-9/16	1-9/32	1-5/16	.08
407-010	---	1	11/16	21/32	1-13/16	1-9/16	1-5/8	.14
407-012	---	1-1/4	15/16	1-1/4	2-1/4	2-1/4	2	.25
407-015	---	1-1/2	1	1-1/16	2-5/16	2	2-1/4	.32
407-020	---	2	1-5/16	1-5/16	2-7/8	2-7/8	2-23/32	.45
407-025	---	2-1/2	1-1/2	1-1/2	3-1/2	3-1/16	3-5/16	.94
407-030	---	3	2-1/16	2	4	3-5/8	3-31/32	1.42
407-040	---	4	2-9/16	2-9/16	4-9/16	4-1/4	5-1/16	2.21



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING 90° ELL


Soc x Fipt



Part Number	Size	G	G1	H	H1	M	M1	Approx. Wt. (Lbs.)
407-053	3/8x1/2	17/32	9/16	1-9/32	1-5/16	7/8	1-1/16	.04
407-074	1/2x3/4	11/16	5/8	1-7/16	1-7/16	1-3/32	1-5/16	.08
407-101	3/4x1/2	1/2	5/8	1-1/2	1-3/8	1-5/16	1-3/32	.07
407-130	1x1/2	15/32	3/4	1-19/32	1-7/16	1-5/8	1-3/32	.11
407-131	1x3/4	11/16	7/8	1-13/16	1-5/8	1-5/8	1-5/16	.11
407-168	1-1/4x1	1	1-1/32	2-1/4	2	2	1-5/8	.19
407-211	1-1/2x1	1-3/32	1-1/8	2-7/16	2-9/32	2-1/4	1-5/8	.30
407-212	1-1/2x1-1/4	15/16	1-1/4	2-1/4	2-7/32	2-3/16	1-15/16	.24
407-249	2x1	13/16	1-9/16	2-5/16	2-3/8	2-3/4	1-11/16	.31
407-250	2x1-1/4	1	1-1/4	2-3/8	2-7/32	2-3/4	2	.31
407-251	2x1-1/2	1-3/8	1-13/32	2-3/4	2-15/32	2-23/32	2-7/32	.47

SPECIAL REINFORCED REDUCING 90° ELL

Soc x SR Fipt




Part Number	Size	G	G1	H	H1	M	M1	Approx. Wt. (Lbs.)
407-249SR	2x1	1-3/16	1-9/16	2-5/16	2-3/8	2-3/4	1-1/16	.33

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



90° ELL


Fipt x Fipt



Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
408-005	1/2	1/2	1-7/32	1-3/32	.06
408-007	3/4	1/2	1-1/4	1-5/16	.09
408-010	1	21/32	1-9/16	1-5/8	.16
408-012	1-1/4	1	2	1-15/16	.26
408-015	1-1/2	1	2	1-15/16	.34
408-020	2	1-9/32	2-11/32	2-23/32	.49

90° STREET ELL

Spig x Soc




Part Number	Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)
409-005	1/2	11/16	13/32	1-7/16	1-5/32	1-5/32	.05
409-007	3/4	27/32	1/2	1-27/32	1-1/2	1-5/16	.08
409-010	1	31/32	11/16	2-3/32	1-13/16	1-5/8	.13
409-012	1-1/4	1-7/32	27/32	2-15/32	2-1/16	1-31/32	.19
409-015	1-1/2	1-3/8	1-1/4	2-5/8	2-13/32	2-1/4	.25
409-020	2	1-11/16	1-1/4	3	2-5/8	2-3/4	.37
409-025	2-1/2	1-15/32	1-17/32	3-23/32	3-3/8	3-11/32	.76
409-030	3	2-3/4	2-5/16	4-11/16	3-3/4	4	1.10
409-040	4	3	2-1/4	5	4-7/16	5	1.86
409-050	5	4-1/2	3	7-3/4	6	6-1/8	4.36
409-060	6	5-1/4	3-1/2	8-7/8	6-15/16	7-1/2	5.95
409-060F	6	6-15/16	3-1/2	11-3/16	6-15/16	7-1/2	6.87
409-080	8	6-3/8	4-15/32	10-9/16	8-1/2	9-5/16	10.37
409-080F	8	7-13/16	7-3/4	12	12	9-1/4	10.02
409-100F	10	8-1/4	5-3/4	13-1/2	13-3/4	11-1/2	18.20



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

90° STREET ELL


Mipt x Soc



Part Number	Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)
410-005	1/2	21/32	3/8	1-3/8	1-5/32	1-1/8	.04
410-007	3/4	13/16	15/32	1-17/32	1-15/32	1-5/16	.07
410-010	1	1-1/32	11/16	1-29/32	1-13/16	1-5/8	.13
410-012	1-1/4	1-9/32	25/32	2-7/32	2	1-31/32	.18
410-015	1-1/2	1-13/32	1	2-13/32	2-5/16	2-7/32	.40
410-020	2	1-5/8	1-11/32	2-9/16	2-23/32	2-23/32	.41

REDUCING 90° STREET ELL

Mipt x Soc




Part Number	Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)
410-101	3/4x1/2	3/4	9/16	1-1/2	1-5/16	1-1/16	.05
410-102	3/4x1	3/4	1/2	1-3/4	1-11/32	1-5/8	.09

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



11-1/4° ELL


Soc x Soc



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
411-015	1-1/2	1-19/32	7/32	2-3/8	.24
411-015F	1-1/2	2-1/8	5/8	2-1/4	.21
411-020	2	1-3/4	1/4	2-13/16	.33
411-025F	2-1/2	2-5/8	5/8	3-1/4	.57
411-030	3	1-7/8	5/16	4-1/8	.88
411-040	4	2-21/32	13/32	5-1/4	1.51
411-045F	4-1/2	3-5/8	1-1/8	5-1/2	1.32
411-050F	5	4	1-1/4	6-1/8	2.18
411-060F	6	4-1/4	1	7-3/16	2.75
411-080F	8	5-3/8	1-3/16	9-1/4	5.29
411-100F	10	6-27/32	1-15/32	11-1/2	9.42
411-120F	12	7-31/32	1-23/32	13-5/8	14.08
411-140F	14	8-3/4	1-3/4	14-7/8	18.71
411-160F	16	10-1/4	2-1/4	17	28.40
411-180F	18	12	3-1/8	19-1/8	45.02
411-200F	20	13-3/8	3-3/8	21-3/16	57.11
411-240F	24	15-1/8	4-1/8	25-1/2	90.42

90° STREET ELL

Mipt x Fipt




Part Number		Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)	
PVC	HDPE							PVC	HDPE
412-005	M412-005	1/2	23/32	11/32	1-13/32	1-1/16	1-1/8	.05	.04
412-007	M412-007	3/4	7/8	1/2	1-1/2	1-5/16	1-1/4	.07	.04
412-010	M412-010	1	15/16	9/16	1-25/32	1-7/16	1-5/8	.13	.08
412-012	M412-012	1-1/4	1-7/32	7/8	2-7/32	1-7/8	1-31/32	.19	.15
412-015	M412-015	1-1/2	1-11/32	31/32	2-11/32	2-1/32	2-7/32	.24	.20
412-020	N/A	2	1-19/32	1-1/4	2-25/32	2-5/16	2-5/8	.39	---
412-030	N/A	3	2-25/32	1-7/8	4-15/32	3	4-3/4	1.50	---



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

90° STREET ELL (SHORT PATTERN)


Mipt x Fipt



Part Number - HDPE	Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)
MS412-005	1/2	21/32	5/16	1-3/16	31/32	1-1/16	.02
MS412-007	3/4	3/4	7/16	1-5/16	1-3/32	1-9/32	.03
MS412-010	1	7/8	9/16	1-9/16	1-3/8	1-9/16	.06
MS412-101	3/4x1/2	21/32	1/2	1-7/32	1-1/8	1	.03

SIDE OUTLET ELL

Soc x Soc x Soc




Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
413-005	1/2	1/2	1-1/4	1-1/16	.06
413-007	3/4	27/32	1-19/32	1-5/16	.09
413-010	1	3/4	1-7/8	1-5/8	.17
413-015	1-1/2	1-1/16	2-5/16	2-1/4	.31
413-020	2	1	2-3/4	2-3/4	.45

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



SIDE OUTLET ELL


Soc x Soc x Fipt



Part Number	Size	G	G1	H	H1	M	M1	Approx. Wt. (Lbs.)
414-005	1/2	1/2	1/2	1-1/4	1-1/4	1-1/16	1-3/32	.06
414-007	3/4	9/16	5/8	1-9/16	1-7/16	1-9/32	1-9/32	.10
414-101	3/4x3/4x1/2	21/32	21/32	1-21/32	1-13/32	1-5/16	1-1/16	.09
414-130	1x1x1/2	31/32	25/32	2-3/32	1-17/32	1-19/32	1-1/16	.14

30° ELL

Soc x Soc




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
415-020F	2	2-1/4	1/2	2-3/4	.34
415-025F	2-1/2	2-5/8	5/8	3-1/4	.62
415-030F	3	3-7/16	1-3/16	4	.93
415-040F	4	3-1/2	1-1/4	5	1.39
415-045F	4-1/2	4-1/8	1-5/8	5-1/2	1.48
415-050F	5	4-15/32	1-15/32	6-1/8	2.27
415-060F	6	4-1/2	1-1/4	7-3/16	3.25
415-080F	8	6	1-3/4	9-1/4	6.17
415-100F	10	7-1/4	2	11-1/2	10.67
415-120F	12	9-5/16	2-9/16	13-1/2	16.56
415-140F	14	9-3/4	2-3/4	14-7/8	20.68
415-160F	16	11-7/8	3-7/8	17	32.27
415-180F	18	13-1/2	4-1/2	19-1/8	48.74
415-200F	20	15-1/4	5-1/4	21-1/4	63.01
415-240F	24	17	6	25-1/2	104.12



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

22-1/2° ELL

Soc x Soc




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
416-005	1/2	1-1/16	3/16	1-5/32	.06
416-007	3/4	1-3/16	7/32	1-7/16	.08
416-010	1	1-3/8	9/32	1-23/32	.13
416-012	1-1/4	1-1/2	11/32	2-3/32	.20
416-015	1-1/2	1-11/32	11/32	2-11/32	.26
416-020	2	1-23/32	3/8	2-25/32	.25
416-025	2-1/2	2-1/4	1/2	3-1/2	.69
416-025F	2-1/2	2-3/4	3/4	3-1/4	.63
416-030	3	2-13/32	9/16	4-5/32	.95
416-040	4	2-27/32	19/32	5-3/16	1.64
416-045F	4-1/2	3-7/8	1-3/8	5-1/2	1.42
416-050F	5	4-5/16	1-15/16	6-1/16	2.27
416-060	6	4-9/16	1-9/32	7-3/16	4.39
416-060F	6	4-5/8	1-3/8	7-3/16	3.25
416-080	8	5-7/8	1-3/4	9-3/4	8.38
416-080F	8	5-3/4	2-1/2	9-1/4	5.73
416-100F	10	7-7/16	2-3/16	11-1/2	10.04
416-120F	12	8-1/2	2-1/4	13-9/16	15.74
416-140F	14	9-1/2	2-1/2	15	19.69
416-160F	16	11-1/4	3-1/4	17	30.98
416-180F	18	13-1/2	4-1/2	19-3/16	45.38
416-200F	20	14-1/2	4-1/2	21-3/16	59.07
416-240F	24	16-1/8	5-1/8	25-1/2	98.64

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



22-1/2° STREET ELL


Spig x Soc



Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
442-005	1/2	1-1/16	1	1/4	1/4	1-5/32	.05
442-010	1	1-15/32	1-3/8	11/32	9/32	1-11/16	.13
442-012	1-1/4	1-1/2	1-3/8	3/16	1-11/16	2-1/16	.20
442-015	1-1/2	1-7/8	1-11/16	15/32	11/32	2-5/16	.26
442-020	2	1-15/16	1-19/32	9/16	1/4	2-7/8	.39
442-025F	2-1/2	4-1/8	2-3/4	1-3/4	3/4	3-1/4	.81
442-030	3	3-5/8	2-3/8	1-1/2	9/16	4-1/8	1.27
442-040	4	4-3/8	2-7/8	1-7/8	5/8	5-1/4	2.14
442-060	6	5-11/16	3-15/16	2-3/8	7/8	7-5/8	5.87
442-080	8	7-3/8	5-1/8	3-1/8	1-1/8	9-3/4	11.34

45° ELL

Soc x Soc




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
417-005	1/2	1	1/4	1-3/16	.04
417-007	3/4	1-5/16	5/16	1-5/16	.06
417-010	1	1-13/32	9/32	1-5/8	.10
417-012	1-1/4	1-5/8	3/8	1-31/32	.14
417-015	1-1/2	1-3/4	7/16	2-7/32	.19
417-020	2	2	5/8	2-3/4	.29
417-025	2-1/2	2-7/16	11/16	3-11/32	.56
417-030	3	2-7/8	7/8	3-31/32	.84
417-040	4	3-3/32	1-3/32	5	1.27
417-045F	4-1/2	4-3/8	1-7/8	5-1/2	1.59
417-050	5	4-3/8	1-3/8	6-1/16	2.41
417-060	6	5-7/8	1-13/16	7-5/16	3.45
417-080	8	6-7/16	2	9-9/32	6.56



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

45° ELL (continued)


Soc x Soc



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
417-100	10	8-1/8	3-1/8	11-1/2	20.72
417-120	12	9-19/32	3-3/32	14-5/16	34.15
417-120F	12	9-19/32	3-11/32	13-9/16	17.39
417-140F	14	10-7/8	3-7/8	14-7/8	24.61
417-160F	16	12-1/2	4-1/2	17	34.85
417-180F	18	14-7/8	5-7/8	19-1/8	52.10
417-200F	20	16-1/2	6-1/2	21-3/16	68.92
417-240F	24	19-7/8	7-7/8	25-1/2	112.34

45° STREET ELL

Spig x Soc




Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
427-005	1/2	1-9/32	1-9/32	11/32	13/32	1-3/16	.06
427-007	3/4	1-1/2	1-17/32	7/16	17/32	1-13/32	.09
427-010	1	1-19/32	1-21/32	13/32	17/32	1-23/32	.10
427-012	1-1/4	1-25/32	1-29/32	1/2	21/32	2-3/32	.22
427-015	1-1/2	2-1/32	2-3/32	19/32	23/32	2-11/32	.19
427-020	2	2-1/32	2	5/8	5/8	2-3/4	.30
427-025	2-1/2	2-3/4	2-15/32	7/8	11/16	3-3/8	.58
427-030	3	2-31/32	3-1/32	1	1-7/32	4-5/32	1.19
427-040	4	3-21/32	3-13/16	1-9/32	1-9/16	5-3/16	2.07
427-050	5	6-1/8	4-3/8	2-7/8	1-3/8	6-1/16	3.49
427-060	6	5-1/4	6-1/4	1-3/4	3	7-5/8	6.16
427-080	8	11-3/4	6-1/2	6-1/2	2	9-3/8	10.77

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



15° ELL
Soc x Soc




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
418-015F	1-1/2	2-3/8	7/8	2-1/4	.20
418-020F	2	2-1/4	1/2	2-3/4	.34
418-025F	2-1/2	2-5/8	5/8	3-1/4	.57
418-030F	3	3	3/4	4-15/16	.82
418-040F	4	3-9/32	1-1/32	5	1.39
418-045F	4-1/2	3-7/8	1-3/8	5-1/2	1.36
418-050F	5	4-1/4	1-1/2	6-1/8	2.03
418-060F	6	4-1/2	1-1/4	7-3/16	2.95
418-080F	8	5-17/32	1-5/32	9-1/4	5.29
418-100F	10	6-31/32	1-19/32	11-1/2	9.42
418-120F	12	8-1/4	2	13-9/16	14.91
418-140F	14	9-1/8	2-1/8	15	19.69
418-160F	16	10-5/8	2-5/8	17	29.69
418-180F	18	12-1/4	3-1/4	19-1/8	43.70
418-200F	20	13-5/8	3-5/8	21-1/4	57.11
418-240F	24	14-7/8	3-7/8	25-1/2	90.42



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

60° ELL


Soc x Soc



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
424-020F	2	3	1-1/4	2-13/16	.59
424-025F	2-1/2	5-1/4	3-1/4	3-1/4	1.38
424-030F	3	3-5/8	1-3/8	3-15/16	1.70
424-040F	4	4-9/16	2-5/16	5	1.52
424-045F	4-1/2	7	4-1/2	5-7/16	2.96
424-050F	5	8	5-1/8	6-1/16	4.20
424-060F	6	6	2-3/4	7-3/16	6.20
424-080F	8	7-1/2	3-1/4	9-1/4	11.89
424-100F	10	9-1/4	4	11-1/2	20.09
424-120F	12	11	4-3/4	13-9/16	31.47
424-140F	14	17-1/2	10-1/2	15	42.32
424-160F	16	20-1/4	12-1/4	17	63.25
424-180F	18	22-7/8	13-7/8	19-3/16	94.11
424-200F	20	26-1/4	16-1/4	21-1/4	122.09
424-240F	24	31	20	25-1/2	199.58

CROSS

Soc x Soc x Soc x Soc



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
420-005	1/2	17/32	17/32	1-9/32	1-9/32	2-9/16	2-9/16	1-3/32	.08
420-007	3/4	21/32	21/32	1-21/32	1-21/32	3-5/16	3-5/16	1-5/16	.11
420-010	1	13/16	13/16	1-15/16	1-15/16	3-7/8	3-7/8	1-5/8	.24
420-012	1-1/4	1-7/32	1-7/32	2-13/32	2-13/32	4-13/16	4-13/16	2-1/16	.51
420-015	1-1/2	1-1/4	1-1/4	2-9/16	2-9/16	5-5/32	5-5/32	2-5/16	.54
420-020	2	1-17/32	1-17/32	2-29/32	2-29/32	5-27/32	5-27/32	2-13/16	.78
420-025	2-1/2	1-21/32	1-21/32	3-5/8	3-5/8	7-1/4	7-1/4	3-3/8	1.55
420-030	3	1-15/16	1-15/16	3-15/16	3-15/16	7-7/8	7-7/8	4	2.15
420-040	4	2-1/2	2-1/2	4-1/2	4-1/2	9	9	5	3.15


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



CROSS

(continued)


Soc x Soc x Soc x Soc



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
420-050F	5	7-1/2	7-1/2	10-1/2	10-1/2	21	21	6-1/16	13.68
420-060F	6	6-3/16	6-3/16	9-7/16	9-7/16	18-7/8	18-7/8	7-3/16	12.36
420-080F	8	8-7/8	8-7/8	13-1/8	13-1/8	26-1/4	26-1/4	9-1/4	26.10
420-100F	10	9-7/8	9-7/8	15-1/8	15-1/8	30-1/4	30-1/4	11-1/2	43.81
420-120F	12	11-3/4	11-3/4	18	18	36	36	13-9/16	66.22
420-140F	14	12-1/2	12-1/2	19-1/2	19-1/2	39	39	14-7/8	84.87
420-160F	16	15	12-3/4	23	20-3/4	46	41-1/2	17	128.99
420-180F	18	14-7/8	13-1/2	23-7/8	22-1/2	47-3/4	45	19-1/8	176.46
420-200F	20	19-1/4	15	29-1/4	25	58-1/2	50	21-1/8	153.70
420-240F	24	21-1/8	17-5/16	33-1/8	29-5/6	66-1/4	58-5/8	25-1/2	253.36

REDUCING CROSS

Soc x Soc x Soc x Soc



Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
420-101 ¹	3/4x3/4x1/2x1/2	1-7/16	1-1/16	1-9/16	1-13/16	3-1/8	3-5/8	1-5/16	1-5/16	.17
420-167 ¹	1-1/4x1-1/4x3/4x3/4	1-1/8	1-21/32	2-11/32	2-21/32	4-11/16	5-5/16	2-1/32	2-1/32	.71
420-249	2x2x1x1	13/16	1-3/8	2-3/16	2-1/2	4-3/8	5	2-3/4	1-5/8	.39
420-250 ¹	2x2x1-1/4x1-1/4	1-9/16	2-1/16	2-15/16	3-15/16	5-27/32	6-5/8	2-13/16	2-13/16	1.34
420-251 ¹	2x2x1-1/2x1-1/2	1-17/32	1-25/32	2-29/32	3-1/8	5-13/16	6-1/4	2-25/32	2-25/32	1.18
420-335 ¹	3x3x1x1	1-15/16	3-1/4	3-15/16	4-3/8	7-7/8	8-3/4	4	4	3.12
420-336 ¹	3x3x1-1/4x1-1/4	2	3-1/8	3-15/16	4-3/8	7-7/8	8-3/4	4	4	3.11
420-339 ¹	3x3x2-1/2x2-1/2	1-15/16	2-11/32	3-15/16	4-11/32	7-7/8	8-11/16	4	4	2.97
420-420F	4x4x2x2	4-7/16	3-7/8	6-11/16	5-5/8	13-3/8	11-1/2	5	2-11/16	3.37
420-421 ¹	4x4x2-1/2x2-1/2	2-1/2	2-15/16	4-1/2	4-15/16	9	9-7/8	5	5	5.08
420-422 ¹	4x4x3x3	2-1/2	2-15/16	4-1/2	4-15/16	9	9-7/8	5	5	4.90
420-528F	6x6x2x2	4-13/16	5-1/16	8-1/4	6-7/8	16-1/2	13-3/4	7-1/4	2-23/32	7.71
420-529F	6x6x2-1/2x2-1/2	5-3/4	5-1/16	9	7-1/16	18	14-1/8	7-3/16	3-1/4	9.21


¹ Outlet sized with bushing



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING CROSS (continued)

Soc x Soc x Soc x Soc




Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
420-530F	6x6x3x3	5-15/16	6-1/32	9-3/16	8-9/32	18-3/8	16-9/16	7-1/4	4	9.21
420-532F	6x6x4x4	5	6-1/2	8-1/4	8-3/4	16-1/2	17-1/2	7-3/16	5	10.35
420-578F	8x8x2x2	4-7/8	6-3/16	9-1/8	7-15/16	18-1/4	15-7/8	9-1/4	2-3/4	11.23
420-580F	8x8x3x3	5-7/8	7-3/4	10-1/8	10	20-1/4	20	9-1/4	3-15/16	14.45
420-582F	8x8x4x4	6-3/8	7-3/4	10-5/8	10	21-1/4	20	9-1/4	4-15/16	16.52
420-585F	8x8x6x6	7-1/4	7-21/32	11-5/8	10-29/32	23-1/4	21-13/16	9-1/4	7-3/16	20.11
420-621F	10x10x2x2	5-3/8	7-1/8	10-5/8	8-7/8	21-1/4	17-3/4	11-1/2	2-11/16	16.08
420-622F	10x10x2-1/2	5-1/2	7-3/4	10-3/4	9-3/4	21-1/2	19-1/2	11-1/2	3-1/4	20.48
420-623F	10x10x3x3	5-7/8	8-1/8	11-1/8	10-3/8	22-1/4	20-3/4	11-1/2	4-15/16	22.78
420-624F	10x10x4x4	6-3/8	8-7/8	11-5/8	11-1/8	23-1/4	22-1/4	11-1/2	6	22.73
420-626F	10x10x6x6	7-3/8	8-3/4	12-5/8	12	25-1/4	24	11-1/2	7-3/16	30.13
420-628F	10x10x8x8	8-1/2	8-3/4	13-3/4	13	27-1/2	26	11-1/2	9-1/4	35.40
420-661F	12x12x2x2	5-3/4	8-1/4	12	10	24	20	13-1/2	2-3/4	29.47
420-663F	12x12x3x3	6-3/8	8-7/8	12-5/8	11-1/8	25-1/4	22-1/4	13-1/2	3-7/8	34.47
420-664F	12x12x4x4	6-3/4	9-1/4	13	11-1/2	26	23	13-1/2	5	33.96
420-666F	12x12x6x6	7-3/4	9-9/16	14	12-13/16	28	25-5/8	13-1/2	7-1/8	39.69
420-668F	12x12x8x8	8-3/4	9-1/2	15	13-3/4	30	27-1/2	13-1/2	9-1/4	45.81
420-670F	12x12x10x10	10-1/4	9-7/8	16-1/2	15-1/8	33	30-1/4	13-1/2	11-1/2	53.90
420-691F	14x14x2x2	6	9-1/4	13	11	26	22	14-7/8	2-3/4	34.95
420-693F	14x14x3x3	6-3/4	9-3/4	13-3/4	12	27-1/2	24	14-7/8	4	38.68
420-694F	14x14x4x4	7-1/2	10	14-1/2	12-1/4	29	24-7/16	14-7/8	5	40.35
420-696F	14x14x6x6	8	10-1/4	15	13-1/2	30	27	14-7/8	7-1/8	46.98
420-698F	14x14x8x8	9-1/8	10-1/2	16-1/8	14-3/4	32-3/16	27-1/2	14-7/8	9-3/8	44.67
420-700F	14x14x10x10	10-1/2	10-3/4	17-1/2	16	35	32	14-7/8	11-1/2	44.43
420-702F	14x14x12x12	11-1/2	10-3/4	18-1/2	17	37	34	14-7/8	13-5/8	66-57
420-751F	16x16x2x2	6-1/2	10-5/16	14-1/2	12-1/16	29	24-1/8	17	2-3/4	50.82
420-753F	16x16x3x3	7-1/2	10-3/4	15-1/2	13	31	26	17	4	56.76
420-754F	16x16x4x4	8	10-7/8	16	13-1/8	32	26-1/4	17	5	62.49
420-756F	16x16x6x6	9	11-1/8	17	14-3/8	34	28-3/4	17	7-1/4	66.61
420-758F	16x16x8x8	10	11-1/2	18	15-3/4	36	31-1/2	17	9-1/4	77.97
420-760F	16x16x10x10	11	11-7/8	19	17-1/8	38	34-1/4	17	11-1/2	86.09
420-762F	16x16x12x12	12	11-3/4	20	18	40	36	17	13-1/2	91.41
420-764F	16x16x14x14	13	12-13/16	21	19-13/16	42	39-5/8	17	14-7/8	109.43
420-781F	18x18x2x2	6-1/2	10-13/16	15-1/2	12-13/16	31	2-3/16	19-1/8	2-11/16	66.00

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCING CROSS (continued)

Soc x Soc x Soc x Soc




Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
420-783F	18x18x3x3	7-1/2	11-5/16	16-1/2	13-9/16	33	27-1/8	19-1/8	3-15/16	73.00
420-784F	18x18x4x4	7-15/16	12-1/4	16-7/8	10-13/16	33-3/4	29	19-1/8	5	76.00
420-786F	18x18x6x6	7-15/16	11-3/4	17-7/8	15	35-3/4	30	19-1/8	7-1/4	84.00
420-788F	18x18x8x8	7-15/16	12-1/8	18-7/8	16-3/8	37-3/4	32-13/16	19-1/8	9-1/4	93.50
420-790F	18x18x10x10	10-7/8	12-7/8	19-7/8	18-1/8	39-3/4	36-1/4	19-1/8	11-1/2	---
420-792F	18x18x12x12	11-7/8	12-3/4	20-7/8	19	41-3/4	38	19-1/8	14-1/8	111.65
420-794F	18x18x14x14	12-7/8	13-13/16	21-7/8	20-13/16	43-3/4	41-5/8	19-1/8	14-7/8	129.34
420-796F	18x18x16x16	13-7/8	13-3/4	22-7/8	21-3/4	45-3/4	43-1/2	19-1/8	17	145.80
420-811F	20x20x2x2	7	12	17	13-3/4	34	27-1/2	21-3/16	2-11/16	83.00
420-813F	20x20x3x3	8	13	18	15-1/4	36	30-1/2	21-3/16	3-15/16	92.00
420-814F	20x20x4x4	8-1/4	13-1/4	18-1/4	15-1/2	36-1/2	30-15/16	21-3/16	5	95.82
420-816F	20x20x6x6	19-1/4	13-1/8	19-1/4	16-3/8	38-1/2	32-11/16	21-3/16	7-3/16	105.00
420-820F	20x20x10x10	11-1/4	13-7/8	21-1/4	19-1/8	42-1/2	38-1/4	21-1/4	11-1/2	126.30
420-822F	20x20x12x12	12-1/4	13-3/4	22-1/4	20	44-1/2	40	21-1/4	13-5/8	140.46
420-824F	20x20x14x14	13-1/4	14-13/16	23-1/4	21-13/16	46-1/2	43-5/8	21-1/4	14-7/8	140.77
420-826F	20x20x16x16	14-3/4	14-3/4	24-3/4	22-3/4	49-1/2	45-1/2	21-1/4	16-7/8	165.34
420-828F	20x20x18x18	16-1/4	14-11/16	26-1/4	23-11/16	52-1/2	47-3/8	21-1/4	19-1/8	193.92
420-901F	24x24x2x2	10-1/2	14-21/32	22-1/2	16-13/32	45	32-13/16	25-3/8	2-11/16	156.00
420-903F	24x24x3x3	11	15-11/16	23	17-15/16	46	35-7/8	25-3/8	3-15/16	162.00
420-904F	24x24x4x4	10-1/2	16-3/16	22-1/2	18-7/16	45	36-7/8	25-3/8	5	167.00
420-906F	24x24x6x6	12-1/8	14-7/8	24-1/8	18-1/8	48-1/4	36-1/4	28-3/8	7-1/4	179.90
420-908F	24x24x8x8	13-1/8	15-1/8	25-1/8	19-3/8	50-1/4	38-3/4	25-3/8	9-1/4	193.00
420-910F	24x24x10x10	14-1/8	15-7/8	26-1/8	21-1/8	52-1/4	42-1/4	25-3/8	11-1/2	190.14
420-912F	24x24x12x12	15-1/8	15-3/4	27-1/8	22	54-1/4	44	25-3/8	13-1/2	205.85
420-914F	24x24x14x14	16-1/8	16-13/16	28-1/8	25-13/16	56-1/4	47-5/8	25-3/8	14-7/8	103.61
420-916F	24x24x16x16	17-1/8	16-3/4	29-1/8	24-3/4	58-1/4	49-1/2	25-3/8	17	243.82
420-918F	24x24x18x18	18-1/8	16-5/8	30-1/8	25-5/8	60-1/4	51-1/4	25-3/8	19-1/8	268.14
420-920F	24x24x20x20	19-1/8	17	31-1/8	27	62-1/4	54	25-3/8	21-1/4	292.79



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

CROSS


Soc x Mipt x Soc x Mipt



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
421A-010	1x1x1x1	5/8	1	1-5/8	1-7/8	3-13/32	3-3/4	1-5/8	.18

COUPLING

Soc x Soc




Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
429-003	3/8	2-5/8	7/8	1/8	.03
429-005	1/2	1-19/32	1-3/32	3/32	.03
429-005N	1/2	1-5/8	1-1/16	1/8	.02
429-007	3/4	2-3/32	1-5/16	3/32	.05
429-007N	3/4	2-3/32	1-5/16	3/32	.05
429-010	1	2-1/8	1-9/16	1/8	.06
429-010N	1	2-11/32	1-21/32	3/32	.10
429-012	1-1/4	2-11/32	2	3/32	.10
429-015	1-1/2	2-5/8	2-7/32	1/8	.13
429-020	2	2-7/8	2-3/4	1/8	.20
429-025	2-1/2	3-3/4	3-5/16	3/16	.41
429-030	3	3-31/32	4	3/16	.57
429-040	4	4-1/4	5-1/16	1/4	.84
429-045F	4-1/2	6-1/2	5-7/16	1-1/2	1.23
429-050	5	6-3/16	6-1/8	3/16	1.67
429-060	6	6-5/16	7-1/4	1/4	2.11
429-080	8	8-11/32	9-11/32	1/4	4.18
429-100	10	10-3/8	11-9/16	15/32	7.24
429-100F	10	12-3/8	11-1/2	1-7/8	8.16
429-120	12	12-3/8	13-21/32	3/8	11.68

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



COUPLING (continued)


Soc x Soc



Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
429-120F	12	14-3/4	13-9/16	2-1/4	13.25
429-140	14	14-13/32	15-5/8	7/16	27.27
429-140F	14	14-7/8	16-1/4	2-1/4	18.22
429-160F	16	18-5/8	17	2-5/8	23.23
429-180F	18	22	19-1/8	4	38.65
429-200F	20	24	21-3/8	4	48.63
429-240F	24	28-1/2	25-3/8	4-1/2	82.20

DEEP SOCKET COUPLING

Soc x Soc




Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
479-005N	1/2	2-1/2	1-1/16	3/16	.04
479-007	3/4	2-7/8	1-5/16	3/32	.07
479-015	1-1/2	4-5/8	2-1/4	1/8	.24
479-020	2	5-1/16	2-3/4	1/16	.36
479-025	2-1/2	7-1/2	3-5/16	1/4	.79
479-030	3	8	4	1/4	1.06
479-040	4	8-3/16	5	5/16	1.53
479-060F	6	12	7-1/4	1-1/2	3.72



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCER COUPLING

Soc x Soc



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
429-101	3/4x1/2	1-25/32	1-5/16	1-3/32	3/32	.04
429-130	1x1/2	2-3/16	1-23/32	1-7/16	5/32	.11
429-131	1x3/4	2-3/32	1-5/8	1-3/8	3/16	.06
429-166 ¹	1-1/4x1/2	2-31/32	2-1/8	1-3/4	13/16	.24
429-168	1-1/4x1	2-11/16	2-3/32	1-3/4	3/8	.17
429-210	1-1/2x3/4	2-13/16	2-11/32	1-13/32	7/16	.19
429-211 ¹	1-1/2x1	3-3/32	2-13/32	2-3/32	9/16	.30
429-212	1-1/2x1-1/4	2-13/16	2-3/8	2-3/32	3/16	.21
429-247 ¹	2x1/2	3-17/32	2-27/32	2-11/32	1-3/16	.43
429-248 ¹	2x3/4	3-17/32	2-13/16	2-3/8	1	.42
429-249	2x1	3-1/2	2-13/16	2-5/16	3/4	.41
429-250 ¹	2x1-1/4	3-1/2	2-27/32	2-11/32	23/32	.38
429-251	2x1-1/2	3-3/16	2-27/32	2-11/32	1/4	.30
429-291 ¹	2-1/2x1-1/2	3-27/32	3-15/32	2-7/8	3/4	.63
429-292	2-1/2x2	3-5/8	3-15/32	2-7/8	7/16	.48
429-338	3x2	4	4-3/16	2-7/8	21/32	.73
429-340F	3x2-1/2	5-5/8	3-7/8	3-1/4	1-3/8	.68
429-420	4x2	5	5-1/32	2-23/32	1-9/16	.83
429-421	4x2-1/2	5	5-1/4	4-1/8	3/4	1.63
429-422	4x3	4-5/8	5-1/4	4-5/32	15/32	1.25
429-422F	4x3	6-3/4	4-15/16	3-15/16	2-1/4	1.04
429-460F	4-1/2x4	6-3/4	5-5/8	5-1/4	2	1.39
429-488F	5x3	7-13/16	6-1/16	5	3	2.29
429-490F	5x4	7-5/8	6-1/16	5	2-3/8	1.60
429-491F	5x4-1/2	7-3/4	6-1/16	5-7/16	2-1/4	1.59
429-528F	6x2	9-1/8	7-1/8	5	4-1/2	2.75
429-530F	6x3	9-1/8	7-1/8	5-1/2	3-1/2	2.89
429-532F	6x4	8-7/8	7-1/8	5	3-3/8	1.80
429-532	6x4	6-5/8	7-1/2	5-5/16	1-7/16	3.28
429-533F	6x5	8-1/2	7-1/8	6-1/16	2-1/4	2.50
429-534F	6x4-1/2	9-1/2	7-1/8	5-7/16	4	2.05
429-578F	8x2	15-1/8	9-1/4	5	8-1/4	5.75
429-580F	8x3	14-3/4	9-3/16	5	8-1/2	5.71


¹Outlet sized with bushing

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCER COUPLING (continued)

Soc x Soc




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
429-582	8x4	8-7/16	9-11/32	5-1/16	2-11/32	4.02
429-582F	8x4	14-1/2	9-1/4	5	8	5.11
429-583F	8x5	14-1/4	9-3/16	6-1/16	7	5.07
429-585	8x6	8-13/32	9-11/32	7-9/32	1-11/32	4.07
429-585F	8x6	11	9-1/4	7-1/4	3-1/2	4.63
429-621F	10x2	17-5/8	11-3/8	5	11-1/16	8.15
429-623F	10x3	18	11-3/8	5	10-3/4	7.97
429-624	10x4	10-7/16	11-17/32	5-1/16	3-11/32	7.40
429-624F	10x4	17-1/4	11-3/8	5	9-3/4	7.18
429-626	10x6	10-7/16	11-9/16	7-9/32	2-1/4	7.12
429-626F	10x6	14-1/4	11-3/8	7-1/4	5-3/4	6.61
429-628	10x8	10-7/16	11-5/8	9-3/8	1-3/8	10.07
429-628F	10x8	13-1/2	11-1/2	9-1/2	3-1/2	8.95
429-664F	12x4	24	13-9/16	5	15-1/2	15.20
429-666	12x6	12-13/32	13-21/32	7-9/32	3-9/32	10.73
429-666F	12x6	20-3/4	13-9/16	7-1/4	11-1/4	14.23
429-668	12x8	12-13/32	13-21/32	9-3/8	2-1/4	10.58
429-668F	12x8	15-3/4	13-9/16	9-7/16	5-1/4	12.31
429-670	12x10	12-3/8	13-21/32	11-19/32	1-9/32	10.84
429-670F	12x10	15-5/16	13-9/16	11-9/16	3-13/16	13.16
429-693F	14x3	22-9/16	15-3/16	3-1/2	13-9/16	39.67
429-694F	14x4	26-1/16	15-3/16	5	16-13/16	20.57
429-696F	14x6	23-1/8	17-7/8	7-1/4	12-7/8	20.57
429-698F	14x8	21	14-13/16	9-7/16	9-3/4	18.37
429-700F	14x10	17	14-13/16	11-9/16	4-3/4	15.36
429-702F	14x12	17	15	13-3/4	3-3/4	19.59
429-751F	16x2	32-13/16	17-3/8	2-3/8	22-7/16	33.96
429-754F	16x4	32-7/16	17-3/8	5	22-7/16	33.96
429-756F	16x6	29-3/8	17-3/8	7-1/4	18-1/8	33.53
429-758F	16x8	25-1/4	16-7/8	9-7/16	13	33.90
429-760F	16x10	24-3/4	16-7/8	11-1/2	11-1/2	35.66
429-762F	16x12	20-1/4	17-3/8	14-1/8	6	22.40
429-764F	16x14	19-1/2	16-7/8	14-15/16	4-1/2	21.66
429-786F	18x6	37-3/4	19	7-1/4	25-1/2	60.39
429-788F	18x8	32-7/8	19	9-1/4	19-5/8	43.61



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCER COUPLING (continued)


Soc x Soc



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
429-790F	18x10	33	18-15/16	11-9/16	18-3/4	46.43
429-792F	18x12	27-3/4	19	13-5/8	12-1/2	44.78
429-794F	18x14	27-1/2	19	14-7/8	11-1/2	43.23
429-796F	18x16	22-1/8	19-1/8	17-1/16	5-3/8	30.98
429-814F	20x4	47-9/16	21-3/8	5	35-5/16	---
429-820F	20x10	19-1/4	17	13-3/4	5	82.76
429-822F	20x12	38-1/8	21-3/8	14-1/8	21-7/8	74.24
429-824F	20x14	38	21-3/8	14-7/8	21	71.00
429-826F	20x16	30-3/4	21-3/8	17	12-3/4	58.53
429-828F	20x18	24-3/4	21-1/8	19-1/8	5-3/4	45.38
429-906F	24x6	66	25	7-1/4	50-3/4	120.00
429-912F	24x12	55-1/4	25	13-9/16	37	120.00
429-914F	24x14	50-3/8	25	14-7/8	31-3/8	111.51
429-916F	24x16	43-1/4	25	17	23-1/4	107.16
429-918F	24x18	37-3/8	28-3/8	19-1/8	16-3/8	84.69
429-920F	24x20	28-3/4	25-3/8	21-3/8	6-3/4	61.04

ECCENTRIC REDUCER COUPLING

Soc x Soc




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
429-168FE	1-1/4x1	4-5/8	1-15/16	1-9/16	1-7/8	.28
429-212FE	1-1/2x1-1/4	4-3/4	2-3/16	1-15/16	1-3/4	.24
429-250FE	2x1-1/4	5-7/8	2-5/8	1-15/16	2-5/8	.26
429-251FE	2x1-1/2	5-5/8	2-11/16	2-3/16	2-3/8	.29
429-290FE	2-1/2x1-1/4	9-3/4	3-3/16	1-15/16	6-1/4	.81
429-291FE	2-1/2x1-1/2	9-1/2	3-3/16	2-3/16	6	.79
429-292FE	2-1/2x2	6-3/8	2-11/16	2-11/16	2-5/8	.44
429-336FE	3x1-1/4	11-3/8	3-13/16	1-15/16	7-5/8	.85

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



ECCENTRIC REDUCER COUPLING (continued)

Soc x Soc




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
429-337FE	3x1-1/2	11-5/16	3-13/16	2-3/16	7-9/16	.77
429-338FE	3x2	8-1/4	3-13/16	2-11/16	4-1/4	.63
429-339FE	3x2-1/2	6-7/8	3-7/8	3-1/4	2-5/8	.79
429-418FE	4x1-1/4	16-3/8	4-15/16	1-15/16	12-5/8	1.96
429-419FE	4x1-1/2	16-5/16	4-15/16	2-3/16	12-9/16	2.02
429-420E	4x2	7-15/32	5	2-23/32	4-1/16	1.24
429-420FE	4x2	13-1/4	4-15/16	2-11/16	9-1/4	1.65
429-421FE	4x2-1/2	11-7/8	4-15/16	3-1/4	7-5/8	1.78
429-422FE	4x3	8-3/4	5	4	4-1/4	1.28
429-527FE	6x1-1/2	24-3/16	7-1/8	2-3/16	19-7/16	6.23
429-528FE	6x2	16-1/16	7-1/8	2-11/16	11-7/16	4.41
429-529FE	6x2-1/2	19-5/8	7-1/8	3-1/4	14-3/8	4.63
429-530FE	6x3	16-5/8	7-1/8	3-15/16	11-1/8	3.92
429-532E	6x4	8-31/32	7-1/4	5-1/32	3-15/16	2.86
429-532FE	6x4	11-1/8	7-1/8	5	5-5/8	2.27
429-533FE	6x5	10-3/4	7-1/8	6-1/16	4-1/2	2.84
429-578FE	8x2	32	9-3/16	2-11/16	26	8.22
429-580FE	8x3	27-1/2	9-3/16	3-15/16	21	9.33
429-582FE	8x4	22-1/4	9-3/16	5	15-3/4	8.22
429-585FE	8x6	14-3/8	9-3/16	7-3/16	6-7/8	5.53
429-624FE	10x4	28-3/4	11-3/8	5	21-1/4	12.85
429-626FE	10x6	20-7/8	11-3/8	7-1/4	12-3/8	7.49
429-628FE	10x8	16-1/4	11-3/8	9-1/4	6-3/4	9.69
429-664FE	12x4	38-3/4	13-1/2	5	30-1/4	20.84
429-666FE	12x6	30-7/8	13-1/2	7-1/4	21-3/8	22.07
429-668FE	12x8	26-1/4	13-1/2	9-1/4	15-3/4	23.88
429-670FE	12x10	18-3/8	13-9/16	11-1/2	6-7/8	15.07
429-702FE	14x12	19	15-3/16	13-15/16	5-3/4	25.66
429-756FE	16x6	47-3/8	17	7-1/4	36-1/8	49.49
429-758FE	16x8	42-3/4	17	9-1/4	30-1/2	47.87
429-760FE	16x10	34-7/8	17	11-1/2	21-5/8	39.76
429-762FE	16x12	26-1/2	17	13-3/4	12-1/4	34.02
429-764FE	16x14	21-1/2	16-7/8	14-7/8	6-1/2	24.61
429-786FE	18x6	59-3/4	19	7-1/4	47-1/2	71.11
429-788FE	18x8	55-1/8	19	9-1/4	41-7/8	70.93
429-790FE	18x10	47-1/4	19	11-1/2	33	65.32
429-792FE	18x12	38-7/8	19	13-3/4	23-5/8	62.16
429-794FE	18x14	33-7/8	19	14-7/8	17-7/8	54.24



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

ECCENTRIC REDUCER COUPLING (continued)


Soc x Soc



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
429-796FE	18x16	25-1/8	19	17	8-1/8	38.72

FABRICATED REPAIR COUPLING


Gasket x Gasket



Part Number	Size	L	L1	M	M1	Approx. Wt. (Lbs.)
428-020F	2	7-1/2	5	2-11/16	3-1/8	.59
428-030F	3	11-7/8	9-3/8	3-15/16	4-5/8	1.99
428-040F	4	19-1/2	16-1/4	5	5-3/4	4.18
428-060F	6	23-1/2	19-3/4	7-3/8	7-3/4	8.33
428-080F	8	26-1/8	21-1/4	9-3/8	10-1/8	14.01
428-100F	10	27-1/4	22-3/8	11-5/8	12-3/8	20.95
428-120F	12	28-3/8	22-3/8	13-3/4	14-11/16	28.49
428-140F	14	18-3/8	12	14-7/8	16-1/4	24.45
428-160F	16	21	14-3/4	17	18-1/2	36.03

COUPLING

Fipt x Fipt




Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
430-005	1/2	1-9/16	1-1/8	7/32	.04
430-007	3/4	1-9/16	1-1/4	3/16	.05
430-010	1	2-1/16	1-19/32	1/16	.09
430-012	1-1/4	2-3/16	2-3/16	5/32	.20

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



SPECIAL REINFORCED COUPLING


SR Fipt x SR Fipt



Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
430-005SR	1/2	1-9/16	1-3/16	1/16	.07
430-007SR	3/4	1-5/8	1-3/8	1/8	.07
430-010SR	1	1-31/32	1-23/32	3/32	.13
430-012SR	1-1/4	2-1/16	2-1/16	3/16	.19
430-015SR	1-1/2	2-3/16	2-7/16	1/4	.29
430-020SR	2	2-1/4	3	1/4	.42

REDUCER COUPLING

Fipt x Fipt




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
430-101	3/4x1/2	1-11/16	1-3/8	1-3/16	1/4	.06



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

SPECIAL REINFORCED REDUCER COUPLING


SR Fipt x SR Fipt



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
430-101SR	3/4x1/2	1-3/4	1-3/8	1-7/32	1/4	.08

IPS TO PIP ADAPTER


Spig x Soc



Part Number	Size	L	Approx. Wt. (Lbs.)
431-060	6	3-11/16	.93
431-080	8	4-21/32	1.43
431-100F	10	6-1/8	2.71
431-120F	12	7-1/2	3.61

RISER EXTENSION

Fipt x Mipt




Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
434-005	1/2	1-1/2	1-3/32	5/32	.03
434-007	3/4	1-5/8	1-5/16	1/8	.04
434-010	1	1-29/32	1-5/8	3/16	.07

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



FEMALE ADAPTER

Soc x Fipt




Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
435-003	3/8	1-7/16	1	3/32	.03
435-005	1/2	1-9/16	1-3/32	1/8	.04
D435-005	1/2	2-1/8	1-1/8	1/8	.04
435-007	3/4	1-13/16	1-5/16	1/8	.05
D435-007	3/4	2-7/32	1-5/16	3/32	.06
435-010	1	2-7/32	1-5/8	9/32	.08
435-012	1-1/4	2-9/32	1-31/32	1/16	.11
435-015	1-1/2	2-5/16	2-7/32	3/32	.14
435-020	2	2-1/2	2-3/4	1/8	.19
435-025	2-1/2	3-1/4	3-5/16	3/16	.41
435-030	3	3-1/2	4	1/4	.56
435-040	4	4	5-1/32	1/4	.81
435-050	5	5-3/32	6-5/16	7/32	1.50
435-060	6	5-3/4	7-3/16	5/16	2.07
435-080	8	6-15/16	9-3/8	1/4	3.88
435-100F	10	10-1/4	11-15/16	3-1/16	10.88
435-120F	12	11-1/8	14-1/8	2-1/4	16.56



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

SPECIAL REINFORCED FEMALE ADAPTER


Soc x SR Fipt



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
435-002SR	1/4	1-5/16	13/16	13/16	5/32	.03
435-003SR	3/8	1-7/16	15/16	15/16	1/16	.04
435-005SR	1/2	1-3/4	1-3/16	1-3/16	3/16	.06
435-007SR	3/4	1-7/8	1-13/32	1-13/32	3/16	.08
435-010SR	1	2-1/8	1-3/4	1-3/4	1/8	.13
435-012SR	1-1/4	2-5/16	2-3/32	2-3/32	1/8	.19
435-015SR	1-1/2	2-7/16	2-7/16	2-7/16	1/8	.27
435-020SR	2	2-11/16	3	3	1/4	.43
435-025SR	2-1/2	3-1/4	3-9/16	3-9/16	1/4	.68
435-030SR	3	3-1/2	4-9/32	4-5/16	5/16	.95
435-040SR	4	3-15/16	5-7/32	5-7/32	3/16	1.37

REDUCING FEMALE ADAPTER

Soc x Fipt




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
435-072	1/2x1/4	1-19/32	1-3/32	13/16	1/4	.03
435-073	1/2x3/8	1-17/32	1-3/32	15/16	3/16	.03
435-074	1/2x3/4	1-19/32	1-3/32	1-5/16	3/16	.05
435-101	3/4x1/2	1-13/16	1-5/16	1-1/8	3/32	.05
435-102	3/4x1	2-3/32	1-5/16	1-5/8	3/32	.07
435-130	1x1/2	2	1-11/16	1-3/16	5-32	.09
435-131	1x3/4	2-1/8	1-5/8	1-5/16	3/8	.07
435-133	1x1-1/2	2-3/8	1-5/8	2-7/32	1/4	.13
435-168	1-1/4x1	2-1/2	1-31/32	1-5/8	11/32	.12
435-460F	4-1/2x4	8-1/4	5-5/8	5	3-7/8	1.92
435-578F	8x2	14-7/8	8-5/8	5-1/16	9-5/8	5.75
435-582F	8x4	15-3/16	9-1/4	5	9-7/16	5.99
435-628F	8x10	11	11-3/4	9-1/4	4-1/16	6.60

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



SPECIAL REINFORCED REDUCING FEMALE ADAPTER


Soc x SR Fipt



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
435-072SR	1/2x1/4	1-5/8	1-3/32	27/32	1/4	.04
435-073SR	1/2x3/8	1-17/32	1-3/32	31/32	3/16	.04
435-074SR	1/2x1/4	1-3/4	1-3/16	1-3/8	1/8	.07
435-101SR	3/4x1/2	1-7/8	1-3/8	1-3/16	1/4	.07
435-102SR	3/4x1	2-1/16	1-13/32	1-23/32	1/4	.12
435-130SR	1x1/2	2	1-11/16	1-3/16	3/16	.10
435-131SR	1x3/4	2-1/16	1-3/4	1-3/8	3/16	.12

SPIGOT FEMALE ADAPTER

Spig x Fipt




Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
478-005	1/2	1-3/4	1-5/32	3/16	.04
478-007	3/4	1-15/16	1-3/8	5/32	.06
478-010	1	2-7/16	1-23/32	5/32	.10
478-012	1-1/4	2-9/16	2-1/16	9/32	.14
478-015	1-1/2	2-5/8	2-5/16	7/32	.17
478-020	2	2-3/4	2-27/32	3/16	.27
478-030	3	3-7/8	4	9/32	.57
478-040	4	4	5	3/8	.83



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

SPECIAL REINFORCED SPIGOT FEMALE ADAPTER


Spig x SR Fipt



Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
478-005SR	1/2	1-3/4	1-3/16	9/32	.05
478-007SR	3/4	1-15/16	1-3/8	11/32	.07
478-010SR	1	2-1/4	1-23/32	5/16	.12
478-012SR	1-1/4	2-7/16	2-1/16	3/8	.18
478-015SR	1-1/2	2-5/8	2-13/32	13/32	.25
478-020SR	2	2-13/16	3	7/16	.38
478-030SR	3	3-13/16	4-1/4	15/32	.91
478-040SR	4	4-3/8	5-7/32	9/16	1.44

SPECIAL REINFORCED SPIGOT REDUCING FEMALE ADAPTER

Spig x SR Fipt




Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
478-072SR	1/2x1/4	1-3/8	27/32	3/16	.03
478-098SR	3/4x1/4	2-1/16	27/32	1/2	.05
478-128SR	1x1/4	2-3/8	27/32	11/16	.08

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



MALE ADAPTER


Mipt x Soc



Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
436-003	3/8	1-3/8	7/8	7/32	.02
436-005	1/2	1-17/32	1-1/8	5/32	.03
436-007	3/4	1-7/8	1-5/16	3/16	.04
436-010	1	2-1/16	1-5/8	3/16	.07
436-012	1-1/4	2-7/16	1-31/32	3/16	.11
436-015	1-1/2	2-9/32	2-7/32	7/32	.13
436-020	2	2-13/32	2-25/32	7/32	.19
436-025	2-1/2	3-21/32	3-13/32	1/4	.43
436-030	3	3-5/8	4	1/4	.54
436-040	4	3-13/16	5	1/4	.80
436-050	5	5-1/8	6-3/32	7/16	1.41
436-060	6	5-9/32	7-1/4	5/16	1.97
436-080	8	6-15/16	9-3/8	13/32	4.04
436-100F	10	10-3/8	11-15/16	3-3/16	8.08
436-120F	12	11-1/8	14-1/8	2-3/4	16.44

REDUCING MALE ADAPTER

Mipt x Soc




Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
436-053	3/8x1/2	1-11/16	1-3/16	1/4	.04
436-073	1/2x3/8	1-17/32	15/16	1/8	.02
436-074	1/2x3/4	1-15/16	1-5/16	3/16	.04
436-075	1/2x1	2-7/16	1-9/16	5/8	.07
436-101	3/4x1/2	1-17/32	1-1/8	3/32	.03
436-102	3/4x1	2	1-21/32	3/16	.06
436-131	1x3/4	1-29/32	1-3/16	3/16	.05
436-132	1x1-1/4	2-3/8	1-31/32	3/8	.10
436-133	1x1-1/2	2-11/32	2-9/32	11/32	.12



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING MALE ADAPTER (continued)


Mipt x Soc



Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
436-168	1-1/4x1	2-1/8	1-3/4	5/32	.08
436-169	1-1/4x1-1/2	2-3/8	2-7/32	7/32	.12
436-212	1-1/2x1-1/4	2-15/32	2	7/32	.12
436-213	1-1/2x2	2-5/8	2-11/16	1/4	.18
436-251	2x1-1/2	2-5/16	2-1/4	3/16	.15
436-252	2x2-1/2	3-3/32	3-5/16	1/4	.36
436-253	2x3	3-13/16	4	1	.52
436-294	2-1/2x3	3-13/16	3-31/32	7/16	.54
436-296	2-1/2x4	3-7/8	5	3/8	.82
436-342	3x4	3-15/16	5-3/32	5/16	.83
436-537F	6x10	15-1/2	11-3/8	7-15/16	8.50

MALE ADAPTER

Spig x Mipt




Part Number	Size	L	N	Approx. Wt. (Lbs.)
461-005	1/2	1-11/16	11/32	.03
461-007	3/4	2	13/32	.04
461-010	1	2-1/4	11/32	.06
461-012	1-1/4	2-9/32	9/32	.09
461-015	1-1/2	2-7/16	5/16	.12
461-020	2	2-11/16	7/16	.18

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCER BUSHING (Flush Style)

Spig x Soc




Part Number	Size	L	N	Approx. Wt. (Lbs.)
437-072	1/2x1/4	1-1/16	7/16	.02
437-073	1/2x3/8	7/8	3/8	.02
437-101	3/4x1/2	1-1/4	15/32	.02
437-130	1x1/2	1-1/4	15/32	.05
437-131	1x3/4	1-1/4	5/16	.03
437-166	1-1/4x1/2	1-13/32	21/32	.08
437-167	1-1/4x3/4	1-7/16	7/16	.09
437-168	1-1/4x1	1-1/2	7/16	.06
437-209	1-1/2x1/2	1-9/16	7/8	.12
437-210	1-1/2x3/4	1-7/16	7/16	.12
437-211	1-1/2x1	1-17/32	13/32	.11
437-212	1-1/2x1-1/4	1-17/32	9/32	.06
437-247	2x1/2	1-3/4	1	.19
437-248	2x3/4	1-9/16	9/16	.16
437-249	2x1	1-9/16	17/32	.17
437-250	2x1-1/4	1-19/32	11/32	.18
437-251	2x1-1/2	1-9/16	1/4	.13
437-287	2-1/2x1/2	2-5/16	1-1/2	.32
437-288	2-1/2x3/4	2-3/8	1-3/8	.33
437-289	2-1/2x1	1-31/32	13/16	.36
437-290	2-1/2x1-1/4	2-3/16	1-1/8	.38
437-291	2-1/2x1-1/2	2-5/32	1-3/16	.34
437-292	2-1/2x2	2	7/16	.22
437-334	3x3/4	2-9/32	1-9/32	.48
437-335	3x1	2-3/8	1-1/4	.46
437-336	3x1-1/4	2-3/8	1-3/16	.47
437-337	3x1-1/2	2-3/8	1-1/16	.47
437-338	3x2	2-7/32	9/16	.47
437-339	3x2-1/2	2-1/16	11/32	.34
437-420	4x2	2-3/8	1	.88
437-421	4x2-1/2	2-5/16	9/16	.76
437-422	4x3	2-7/32	11/32	.72
437-486	5x2	3-13/32	2-1/32	1.54



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCER BUSHING (Flush Style) (continued)

Spig x Soc



Part Number	Size	L	N	Approx. Wt. (Lbs.)
437-488	5x3	3-7/16	1-15/32	1.40
437-490	5x4	2-7/8	11/16	1.22
437-528	6x2	3-9/32	1-3/4	1.96
437-530	6x3	3-17/32	1-5/8	2.21
437-532	6x4	3-9/16	1-9/16	2.09
437-534	6x5	3-5/16	5/8	1.74
437-578 ¹	8x2	5	3-5/8	4.92
437-580	8x3	5-1/4	3-1/4	4.92
437-580F	8x3	5-1/4	3-1/4	4.92
437-582	8x4	4-5/16	2-15/16	3.83
437-583 ¹	8x5	4-3/4	1-3/4	5.61
437-585	8x6	4-13/32	1-3/8	4.02
437-621 ¹	10x2	6	4	9.88
437-623 ¹	10x3	6	3-17/32	9.32
437-624	10x4	6	3-3/4	9.57
437-626	10x6	5-1/2	2-3/8	7.24
437-628	10x8	5-1/2	1-7/16	5.72
437-666 ¹	12x6	6-11/16	3-3/4	13.96
437-666F	12x6	6-7/16	3-1/2	18.74
437-668	12x8	6-1/2	2-7/16	9.60
437-670	12x10	6-1/2	1-1/2	12.47
437-702F	14x12	7	1	9.18
437-764F	16x14	8	1	18.68
437-796F	18x16	9	1	20.03


¹Outlet sized with bushing

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCER BUSHING (Flush Style)

Spig x Fipt




Part Number	Size	L	N	Approx. Wt. (Lbs.)
438-071	1/2x1/8	1	9/16	.02
438-072	1/2x1/4	1-1/32	7/16	.02
438-073	1/2x3/8	1	7/16	.02
438-098	3/4x1/4	1-7/32	21/32	.04
438-101	3/4x1/2	1-1/4	1/2	.03
438-127	1x1/8	1-3/8	13/16	.06
438-128	1x1/4	1-13/32	13/16	.07
438-129	1x3/8	1-13/32	19/32	.07
438-130	1x1/2	1-3/8	21/32	.06
438-131	1x3/4	1-1/16	3/8	.04
438-166	1-1/4x1/2	1-1/2	13/16	.09
438-167	1-1/4x3/4	1-7/16	23/32	.09
438-168	1-1/4x1	1-7/16	1/2	.07
438-206	1-1/2x1/8	1-11/16	1-1/4	.14
438-207	1-1/2x1/4	1-19/32	15/16	.11
438-209	1-1/2x1/2	1-11/16	1	.16
438-210	1-1/2x3/4	1-9/16	1	.12
438-211	1-1/2x1	1-11/16	27/32	.14
438-212	1-1/2x1-1/4	1-9/16	11/16	.07
438-245	2x1/4	1-11/16	1-7/32	.18
438-247	2x1/2	1-7/8	1-1/8	.25
438-248	2x3/4	1-7/8	1-5/32	.26
438-249	2x1	1-7/8	1	.26
438-250	2x1-1/4	1-5/8	13/16	.18
438-251	2x1-1/2	1-7/8	3/4	.14
438-287	2-1/2x1/2	2-3/8	1-5/8	.41
438-288	2-1/2x3/4	2-3/8	1-9/16	.44
438-289	2-1/2x1	2-11/32	1-13/32	.44
438-290	2-1/2x1-1/4	2-3/8	1-3/8	.43
438-291	2-1/2x1-1/2	2-3/8	1-3/8	.33
438-292	2-1/2x2	2-13/32	1-3/8	.31
438-334	3x3/4	2-9/32	1-9/16	.58
438-335	3x1	2-1/4	1-3/8	.59
438-336	3x1-1/4	2-1/4	1-5/16	.62



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCER BUSHING (Flush Style) (continued)


Spig x Fipt



Part Number	Size	L	N	Approx. Wt. (Lbs.)
438-337	3x1-1/2	2-1/4	1-1/4	.58
438-338	3x2	2-3/16	1-7/32	.56
438-339	3x2-1/2	2-3/8	13/16	.47
438-420	4x2	2-3/8	1-3/8	.89
438-421	4x2-1/2	2-5/8	1-1/16	1.05
438-422	4x3	2-13/32	1	.77
438-488	5x3	3-7/16	1-13/16	1.57
438-490	5x4	3-15/32	1-23/32	1.46
438-528	6x2	3-9/32	2-9/32	2.70
438-530	6x3	3-17/32	2-1/8	2.31
438-532	6x4	3-17/32	2-1/32	2.54
438-534	6x5	3-31/32	2-3/16	1.91

SPECIAL REINFORCED REDUCER BUSHING (Flush Style)

Spig x SR Fipt




Part Number	Size	L	N	Approx. Wt. (Lbs.)
438-128SR	1x1/4	1-3/8	13/16	.07
438-207SR	1-1/2x1/4	1-19/32	15/16	.13
438-209SR	1-1/2x1/2	1-11/16	15/16	.17
438-210SR	1-1/2x3/4	1-9/16	7/8	.13
438-247SR	2x1/2	1-29/32	1-5/32	.26
438-248SR	2x3/4	1-7/8	1-1/8	.26
438-249SR	2x1	1-29/32	31/32	.27
438-334SR	3x3/4	2-1/4	1-1/2	.58

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



SPECIAL REINFORCED (continued) REDUCER BUSHING (Flush Style)


Spig x SR Fipt



Part Number	Size	L	N	Approx. Wt. (Lbs.)
438-335SR	3x1	2-1/4	1-3/8	.59
438-336SR	3x1-1/4	2-1/4	1-5/16	.59
438-337SR	3x1-1/2	2-1/4	1-3/8	.68
438-528SR	6x2	3-5/16	2-9/32	2.63
438-530SR	6x3	3-9/32	1-7/8	2.70
438-532SR	6x4	3-1/2	2-1/32	2.60

REDUCER (T.T.) BUSHING (Flush Style)

Mipt x Fipt




Part Number	Size	L	N	Approx. Wt. (Lbs.)
439-052	3/8x1/4	13/16	1/4	.01
439-071	1/2x1/8	27/32	13/32	.02
439-072	1/2x1/4	29/32	3/8	.02
439-073	1/2x3/8	15/16	3/8	.01
439-098	3/4x1/4	1-1/32	15/32	.03
439-099	3/4x3/8	1-1/32	7/16	.03
439-101	3/4x1/2	15/16	3/16	.02
439-128	1x1/4	1-1/8	17/32	.05
439-130	1x1/2	1-1/4	1/2	.06
439-131	1x3/4	1-1/8	3/8	.03
439-166	1-1/4x1/2	1-9/32	5/8	.09
439-167	1-1/4x3/4	1-9/32	19/32	.08
439-168	1-1/4x1	1-5/16	5/16	.07
439-209	1-1/2x1/2	1-7/32	1/2	.12



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCER (T.T.) BUSHING (Flush Style) (continued)


Mipt x Fipt



Part Number	Size	L	N	Approx. Wt. (Lbs.)
439-210	1-1/2x3/4	1-7/32	1/2	.10
439-211	1-1/2x1	1-15/16	11/32	.11
439-212	1-1/2x1-1/4	1	3/32	.11
439-248	2x3/4	1-5/16	9/16	.18
439-249	2x1	1-5/16	27/32	.17
439-250	2x1-1/4	1-7/16	7/16	.17
439-251	2x1-1/2	1-7/16	7/16	.14
439-292	2-1/2x2	1-31/32	31/32	.24
439-338	3x2	2	1	.52
439-339	3x2-1/2	2-1/32	15/32	.38

SPECIAL REINFORCED REDUCER (T.T.) BUSHING (Flush Style)

Mipt x SR Fipt




Part Number	Size	L	N	Approx. Wt. (Lbs.)
439-209SR	1-1/2x1/2	1-7/32	9/16	.11
439-210SR	1-1/2x3/4	1-7/32	1/2	.11
439-249SR	2x1	1-5/16	13/32	.19

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



IPT ADAPTER


Mipt x Fipt



Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
446-003	3/8	1-13/32	29/32	5/32	.02
446-012	1-1/4	2-7/32	1-31/32	7/32	.11
446-053	3/8x1/2	1-1/2	1-1/16	3/16	.03
446-074	1/2x3/4	1-11/16	1-5/16	5/32	.04

CAP

Soc




Part Number	Size	M	W	Approx. Wt. (Lbs.)
447-003	3/8	7/8	1	.01
447-005	1/2	1-3/32	1-1/32	.02
447-007	3/4	1-5/16	1-5/16	.04
447-010	1	1-9/16	1-9/16	.06
447-012	1-1/4	1-31/32	1-3/4	.09
447-015	1-1/2	2-1/4	1-7/8	.11
447-020	2	2-23/32	2-1/32	.17
447-025	2-1/2	3-5/16	2-9/16	.33
447-030	3	4	2-29/32	.49
447-040	4	5-1/16	3-1/8	.85
447-045F	4-1/2	5-1/4	3-1/4	.31
447-050	5	6-5/32	4-1/2	1.43
447-060	6	7-1/4	5	2.36
447-080	8	9-5/16	6-3/8	4.35
447-100F	10	11-13/16	5-1/4	5.22
447-120F	12	13-7/8	6-3/4	8.22
447-140F	14	15	7-3/8	8.75




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

CAP (continued) Soc



Part Number	Size	M	W	Approx. Wt. (Lbs.)
447-160F	16	17	9	12.15
447-180F	18	19-1/16	9	17.58
447-200F	20	21-3/16	12-1/4	26.48
447-240F	24	25-1/2	13-1/2	40.26

CAP Fipt




Part Number	Size	M	W	Approx. Wt. (Lbs.)
448-003	3/8	15/16	25/32	.01
448-005	1/2	1-1/16	1-1/16	.03
448-007	3/4	1-5/16	1-1/32	.03
448-010	1	1-5/8	1-5/16	.06
448-012	1-1/4	2-1/16	1-1/2	.09
448-015	1-1/2	2-1/4	1-9/16	.11
448-020	2	2-3/4	1-23/32	.16
448-025	2-1/2	3-9/32	2-5/16	.35
448-030	3	4	2-13/32	.49
448-040	4	5	2-11/16	.82
448-050	5	6-11/32	3-3/32	1.39
448-060	6	7-3/16	3-5/32	1.53
448-080F	8	9-3/8	4-5/8	3.83

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



SPECIAL REINFORCED CAP


SR Fipt



Part Number	Size	M	W	Approx. Wt. (Lbs.)
448-012SR	1-1/4	2-1/16	1-3/8	.09

PLUG


Spig



Part Number	Size	L	Approx. Wt. (Lbs.)
449-003	3/8	31/32	.01
449-005	1/2	7/8	.02
449-007	3/4	1-1/8	.02
449-010	1	1-3/8	.05
449-012	1-1/4	1-17/32	.09
449-015	1-1/2	1-5/8	.11
449-020	2	1-3/4	.22
449-025	2-1/2	2-3/8	.35
449-030	3	2-3/32	.39
449-040	4	2-5/8	.75
449-060F	6	9-1/2	4.53
449-080F	8	11-5/16	8.55

COUNTER SUNK PLUG

Spig




Part Number	Size	L	Approx. Wt. (Lbs.)
449-007CS	3/4	1-1/4	.03
449-010CS	1	1-5/32	.04



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

PLUG

Mipt




Part Number	Size	L	Approx. Wt. (Lbs.)
450-003	3/8	25/32	.01
450-005	1/2	13/16	.02
450-007	3/4	7/8	.02
450-010	1	1-7/32	.06
450-012	1-1/4	1-5/16	.08
450-015	1-1/2	1-1/4	.10
450-020	2	1-1/2	.17
450-025	2-1/2	1-31/32	.27
450-030	3	1-7/8	.39
450-040	4	2-3/32	.72
450-060	6	2-1/16	1.70
450-080F	8	9	8.33

UNION

Soc x Soc w/O-ring Seal

Pressure Rating 150 psi @ 73°F



Part Number		Size	L	M	N	Nut O.D.	Approx. Wt. (Lbs.)
w/O-ring Seal							
BUNA	EPDM						
457-005	497-005	1/2	1-13/16	1-1/16	5/16	2	.13
457-007	497-007	3/4	2-3/8	1-5/16	3/8	2-5/32	.17
457-010	497-010	1	2-23/32	1-21/32	15/32	2-9/16	.25
457-012	497-012	1-1/4	2-31/32	2	15/32	3	.34
457-015	497-015	1-1/2	3-3/32	2-1/4	15/32	3-9/32	.41
457-020	497-020	2	3-3/16	2-13/16	7/16	3-3/4	.54

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES




UNION

(continued)

Soc x Soc w/O-ring Seal

Pressure Rating 150 psi @ 73°F




Part Number		Size	L	M	N	Nut O.D.	Approx. Wt. (Lbs.)
w/O-ring Seal							
457-025	497-025	2-1/2	4-3/8	3-9/16	7/8	4-13/16	1.49
457-030	497-030	3	5	4-9/32	1-1/4	5-3/4	2.32
457-040	497-040	4	5-7/8	5-13/32	1-3/8	7-1/16	3.75

UNION

Fipt x Fipt w/O-ring Seal

Pressure Rating 150 psi @ 73°F



Part Number		Size	L	M	N	Nut O.D.	Approx. Wt. (Lbs.)
w/O-ring Seal							
BUNA	EPDM						
458-005	498-005	1/2	1-27/32	1-3/32	11/32	2	.14
458-007	498-007	3/4	2-11/32	1-5/16	3/4	2-5/32	.18
458-010	498-010	1	2-23/32	1-21/32	23/32	2-9/16	.27
458-012	498-012	1-1/4	2-31/32	2	31/32	3	.39
458-015	498-015	1-1/2	3-1/16	2-1/4	15/16	3-9/32	.44
458-020	498-020	2	3-7/32	2-25/32	1-3/32	3-3/4	.59
458-025	498-025	2-1/2	4-3/8	3-5/8	1-13/16	4-7/8	1.65
458-030	498-030	3	5	4-9/32	1-3/4	5-3/4	2.50
458-040	498-040	4	5-7/8	5-1/4	2-5/8	7	4.04




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

TRANSITION UNION

Soc x Fipt w/Metal Thread Insert and O-ring Seal

Pressure Rating 235 psi @ 73°F




Part Number		Size	L	M	N	Nut O.D.	Approx. Wt. (Lbs.)
w/O-ring Seal							
BUNA	EPDM						
459-010BR	499-010BR	1	3-3/32	1-27/32	1-1/32	2-7/8	.53
459-012BR	499-012BR	1-1/4	3-9/32	2-7/32	1-1/16	3-5/16	.68
459-015BR	499-015BR	1-1/2	3-1/2	2-9/16	1-3/32	3-17/32	.89
459-020BR	499-020BR	2	4-3/16	3-1/32	1-5/8	4-3/16	1.33

SPECIAL REINFORCED UNION

Soc x SR Fipt w/O-ring Seal

Pressure Rating 235 psi @ 73°F



Part Number		Size	L	M	N	Nut O.D.	Approx. Wt. (Lbs.)
w/O-ring Seal							
BUNA	EPDM						
459-002SR	499-002SR	1/4	2-1/8	7/8	29/32	1-11/16	.10
459-003SR	499-003SR	3/8	2-5/16	1	1	1-13/16	.06
459-005SR	499-005SR	1/2	2-9/32	1-9/32	21/32	1-31/32	.17
459-007SR	499-007SR	3/4	2-19/32	1-17/32	27/32	2-1/2	.28
459-010SR	499-010SR	1	2-15/16	1-11/16	7/8	2-7/8	.42
459-012SR	499-012SR	1-1/4	3-7/32	2-1/16	31/32	3-5/16	.55
459-015SR	499-015SR	1-1/2	3-7/16	2-9/16	1-1/16	3-9/16	.68
459-020SR	499-020SR	2	4-1/8	3	1-9/16	4-5/32	1.11
459-030SR	499-030SR	3	5-9/32	4-5/16	1-31/32	5-13/16	2.55
459-040SR	499-040SR	4	5-15/16	5-1/4	2-1/8	5-3/4	4.04

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES




SADDLE

(IPS O.D. x Soc)

Non-Pressure Rated. Contact Spears®

Technical Services for additional information



Part Number	Size	H	L	M	N	Approx. Wt. (Lbs.)
463-288	2-1/2x3/4	2-9/16	5-5/16	1-11/32	1/16	.24
463-333 ¹	3x1/2	3-19/32	6-11/32	2-3/8	1-5/16	.65
463-335 ¹	3x1	3-5/8	6-11/32	2-3/8	7/8	.67
463-336	3x1-1/4	3-21/32	6-5/16	2-3/8	21/32	.59
463-337	3x1-1/2	3-5/16	6-3/8	2-3/8	5/16	.52
463-338	3x2	5	6-5/16	2-3/4	1-7/8	.71
463-415	4x1/2	4-1/8	6-5/16	2-3/8	1-1/8	.65
463-417	4x1	4-7/32	6-5/16	2-3/8	13/16	.67
463-418	4x1-1/4	4-3/16	6-1/4	2-3/8	11/16	.60
463-419	4x1-1/2	3-3/4	6-1/4	2-13/32	1/4	.57
463-420	4x2	5-1/2	6-1/4	2-3/4	1-13/16	.73
463-485	5x1-1/2	5-3/8	7-1/8	2-25/32	1-5/32	1.05
463-486	5x2	5	7-1/8	2-3/4	9/32	.89
463-523 ¹	6x1/2	4-5/16	6-15/32	2-3/8	1-1/4	.84
463-525	6x1	5-11/32	6-3/8	2-7/8	7/8	.86
463-526	6x1-1/4	5-3/8	6-5/16	2-3/8	3/4	.80
463-527	6x1-1/2	4-15/16	6-5/16	2-13/32	5/16	.69
463-528	6x2	6-9/16	6-5/16	2-3/4	1-7/8	.92
463-530 ¹	6x3	5-15/16	11-15/16	5-1/16	5/8	2.79
463-532	6x4	5-1/2	11-15/16	5	1/4	1.85
463-573 ¹	8x1/2	6-9/16	6-11/32	2-3/8	1-1/2	.93
463-575 ¹	8x1	3-3/8	6-11/32	2-3/8	1-7/32	.95
463-576 ¹	8x1-1/4	3-21/32	6-11/32	2-3/8	1	.84
463-577	8x1-1/2	6-7/32	6-5/16	2-3/8	19/32	.77
463-578	8x2	7-11/16	6-5/16	2-3/4	2	.96
463-580 ¹	8x3	6	11-7/8	5	3/4	2.96
463-582	8x4	6-1/2	11-7/8	5-1/32	1/4	2.13
463-624	10x4	7-5/8	11-7/8	5	5/16	2.19

¹Outlet sized with bushing




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

SADDLE

(IPS O.D. x Fipt)

Non-Pressure Rated. Contact Spears®

Technical Services for additional information




Part Number	Size	H	L	M	N	Approx. Wt. (Lbs.)
464-071	1/2x1/8	1	2-1/8	9/16	1/8	.03
464-097	3/4x1/8	1-1/8	2-1/8	9/16	5/32	.04
464-288	2-1/2x3/4	2-9/16	5-9/32	1-11/32	5/16	.24
464-337	3x1-1/2	3-9/32	6-5/16	2-3/8	13/32	.53
464-419	4x1-1/2	3-3/4	6-1/4	2-3/8	7/16	.56
464-486	5x2	4-15/16	7-1/16	2-3/4	1-3/32	1.00
464-527	6x1-1/2	4-15/16	6-5/16	2-3/8	3/8	.70
464-532	6x4	5-9/32	11-15/16	5	9/32	1.92
464-577	8x1-1/2	6-7/32	6-5/16	2-3/8	19/32	.79
464-582	8x4	6-1/4	11-7/8	5	1/4	2.16
464-624	10x4	7-5/16	11-7/8	5	1/4	2.04

SNAP-ON SADDLE

(IPS O.D. x Soc)

Non-Pressure Rated. Contact Spears®

Technical Services for additional information



Part Number	Size	H	L	M	N	Approx. Wt. (Lbs.)
463-005	1/2x1/2	1-11/32	2-1/2	1-3/32	5/32	.05
463-007	3/4x3/4	1-3/4	3-1/8	1-5/16	7/32	.08
463-010	1x1	1-15/16	3-5/8	1-5/8	3/16	.13
463-012	1-1/4x1-1/4	2-1/4	4-1/4	2	11/32	.20
463-015	1-1/2x1-1/2	2-13/32	4-7/16	2-7/32	3/16	.25
463-020	2x2	2-23/32	5-1/4	2-11/16	7/32	.40
463-101	3/4x1/2	1-11/32	2-3/4	1-3/32	7/32	.06
463-130	1x1/2	1-13/32	3-1/2	1-3/32	1-3/16	.09

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES




SNAP-ON SADDLE

(IPS O.D. x Fipt)

Non-Pressure Rated. Contact Spears®

Technical Services for additional information.




Part Number	Size	H	L	M	N	Approx. Wt. (Lbs.)
464-005	1/2x1/2	1-3/8	2-1/2	1-1/16	3/16	.05
464-007	3/4x3/4	1-3/4	3-5/32	1-5/16	13/32	.09
464-010	1x1	1-15/16	3-5/8	1-5/8	1/4	.15
464-001	3/4x1/2	1-7/16	2-3/8	1-3/32	3/16	.06
464-030	1x1/2	1-19/32	3-1/2	1-1/16	5/32	.08
464-031	1x3/4	1-7/16	3	1-1/4	3/16	.09
464-210	1-1/2x3/4	1-15/16	3-17/32	1-5/16	5/32	.15

CLAMP-ON SADDLE x SOCKET SINGLE OUTLET

Dimensions Also Applicable to
466S-XXX 466E-XXX 466SE-XXX

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	H1	L	L1	M	N	Approx. Wt. (Lbs.)
466-247	2x1/2	2-3/8	1-1/2	2-7/16	3-7/16	1-3/16	5/16	.60
466-248	2x3/4	2-1/2	1-1/2	2-7/16	3-7/16	1-3/8	5/16	.61
466-249	2x1	2-5/8	1-1/2	2-7/16	3-7/16	1-11/16	5/16	.63
466-250	2x1-1/4	2-3/4	1-1/2	2-7/16	3-7/16	2-1/16	5/16	.71
466-251	2x1-1/2	2-15/16	1-1/2	2-7/16	3-7/16	2-3/8	3/8	.71
466-291	2-1/2x1-1/2	3-3/16	1-11/16	4-1/16	4	2-3/8	3/8	1.02
466-333	3x1/2	3-5/16	2-1/16	3	4-5/8	1-3/8	13/16	.88
466-334	3x3/4	3-1/16	2-1/16	3	4-5/8	1-3/8	9/32	.86
466-335	3x1	3-3/16	2-1/16	3	4-5/8	1-11/16	5/16	.87




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

CLAMP-ON SADDLE x SOCKET SINGLE OUTLET (continued)

Dimensions Also Applicable to
466S-XXX 466E-XXX 466SE-XXX

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	H1	L	L1	M	N	Approx. Wt. (Lbs.)
466-336	3x1-1/4	4-1/32	2-1/16	4-3/32	4-5/8	3	1-1/32	1.47
466-337	3x1-1/2	4-1/32	2-1/16	4-3/32	4-5/8	3	29/32	1.41
466-338	3x2	3-5/8	2-1/16	4-3/32	4-5/8	3	3/8	1.25
466-415	4x1/2	4-3/32	2-5/8	3	5-9/16	2-3/8	31/32	1.31
466-416	4x3/4	4-3/32	2-5/8	3	5-9/16	2-3/8	27/32	1.28
466-417	4x1	3-13/16	2-5/8	3	5-5/8	1-11/16	7/16	1.24
466-418	4x1-1/4	4-13/32	2-5/8	4-3/32	5-5/8	2-3/8	29/32	1.70
466-419	4x1-1/2	4-1/8	2-5/8	4-3/32	5-9/16	2-3/8	1/2	1.63
466-420	4x2	4-3/16	2-5/8	4-1/8	5-5/8	3	7/16	1.70
466-421	4x2-1/2	5	2-5/8	5-7/16	5-23/32	4-9/32	3/4	2.82
466-422	4x3	4-5/8	2-19/32	5-7/16	5-11/16	4-1/4	1/2	2.41
466-523	6x1/2	5-13/32	3-7/8	3	7-3/4	1-11/16	1-7/32	2.35
466-524	6x3/4	5-7/16	3-7/8	3	7-3/4	1-11/16	1-1/8	2.33
466-525	6x1	5-1/8	3-7/8	3	7-15/16	1-11/16	11/16	2.29
466-526	6x1-1/4	5-15/16	3-7/8	4-1/8	7-3/4	3	1-3/8	3.26
466-527 ¹	6x1-1/2	5-23/32	3-7/8	4-1/8	7-31/32	3	1-1/32	3.20
466-528	6x2	5-1/2	3-7/8	4-1/8	7-3/4	3	11/16	3.04
466-529	6x2-1/2	6-7/16	3-7/8	6	7-15/16	4-1/4	1-1/8	4.75
466-530	6x3	5-15/16	3-7/8	6	7-15/16	4-1/4	25/32	4.33
466-532	6x4	6	3-29/32	6	7-15/16	5-3/16	5/8	5.12
466-573	8x1/2	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-3/16	9.35
466-574	8x3/4	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-3/4	9.36
466-575	8x1	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-5/8	9.37
466-576	8x1-1/4	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-1/2	9.39
466-577	8x1-1/2	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-3/8	9.32
466-578	8x2	7-11/16	4-7/8	8-1/2	10-1/8	5-1/4	1-7/8	9.17
466-579	8x2-1/2	8-1/8	4-7/8	8-1/2	10-1/8	5-1/4	1-11/16	9.24
466-580	8x3	7-1/16	4-7/8	8-1/2	10-1/8	5-1/4	1-7/16	9.15

¹ Outlet sized with bushing


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



CLAMP-ON SADDLE x SOCKET SINGLE OUTLET (continued)

Dimensions Also Applicable to
466S-XXX 466E-XXX 466SE-XXX

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	H1	L	L1	M	N	Approx. Wt. (Lbs.)
466-582	8x4	7-5/16	4-7/8	8-1/2	10-1/8	5-1/4	11/16	8.35
466-585	8x6	8-3/32	4-7/8	8-1/2	10-1/8	7-5/8	11/16	9.47
466-620 ¹	10x1-1/2	8-7/8	6-1/8	8-1/2	11-7/8	5-1/4	3-1/4	12.78
466-624	10x4	8-15/32	6-1/32	8-1/2	12-5/16	5-1/4	13/16	11.79
466-626	10x6	9-1/8	6	8-7/16	12	7-5/8	1-1/8	12.86
466-664	12x4	9-9/16	7-5/32	8-1/2	14-5/16	5-1/4	7/8	15.48
466-666	12x6	10-3/8	7-5/32	8-1/2	14-5/16	7-5/8	7/8	16.30

¹Outlet sized with bushing

- 1) Clamp-On Saddle Standard Hardware: Zinc Bolts w/BUNA-N O-ring Seal
e.g.) Part Number 466-247 = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Zinc Bolts.
- 2) Clamp-On Saddles w/Stainless Steel (SS) Bolts, Add The Letter "S" Before The Dash.
e.g.) Part Number 466S-247 = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Stainless Steel Bolts.
- 3) Clamp-On Saddles w/EPDM O-ring Seal, Add The Letter "E" Before The Dash.
e.g.) Part Number 466E-247 = 2x1/2 PVC Clamp-On Saddle, Socket, EPDM O-ring, Zinc Bolts.
- 4) Clamp-On Saddles w/Stainless Steel Bolts & EPDM O-ring Seal, Add The Letter "SE" Before The Dash.
e.g.) Part Number 466SE-247 = 2x1/2 PVC Clamp On Saddle, Socket EPDM O-ring, Stainless Steel Bolts.




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

CLAMP-ON SADDLE x SR FIPT SINGLE OUTLET

Dimensions Also Applicable to
467S-XXXSR 467E-XXXSR 467SE-XXXSR

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	H1	L	L1	M	N	Approx. Wt. (Lbs.)
467-247SR	2x1/2	2-3/8	1-1/2	2-7/16	3-7/16	1-3/16	5/16	.62
467-248SR	2x3/4	2-1/2	1-1/2	2-7/16	3-7/16	1-3/8	5/8	.63
467-249SR	2x1	2-5/8	1-1/2	2-7/16	3-7/16	1-11/16	9/16	.65
467-250SR	2x1-1/4	2-3/4	1-1/2	2-7/16	3-7/16	2-1/16	11/16	.57
467-251SR	2x1-1/2	2-15/16	1-1/2	2-7/16	3-7/16	2-3/8	3/4	.76
467-291SR	2-1/2x1-1/2	3-3/16	1-11/16	4-1/16	4	2-3/8	13/16	1.09
467-333SR	3x1/2	3-5/16	2-1/16	3	4-5/8	1-3/8	15/16	.89
467-334SR	3x3/4	3-1/16	2-1/16	3	4-5/8	1-3/8	9/16	.88
467-335SR	3x1	3-3/16	2-1/16	3	4-5/8	1-11/16	9/16	.90
467-336SR	3x1-1/4	4-1/32	2-1/16	4-3/32	4-5/8	3	1-5/16	1.52
467-337SR	3x1-1/2	4-1/32	2-1/16	4-3/32	4-5/8	3	2-11/16	1.48
467-338SR	3X2	3-5/8	2-1/16	4-3/32	4-5/8	3	7/8	1.34
467-415SR	4x1/2	4-3/32	2-5/8	3	5-9/16	2-3/8	1-1/8	1.32
467-416SR	4x3/4	4-3/32	2-5/8	3	5-9/16	2-3/8	1-1/8	1.31
467-417SR	4x1	3-13/16	2-5/8	3	5-5/8	1-11/16	11/16	1.28
467-418SR	4x1-1/4	4-13/32	2-5/8	4-3/32	5-5/8	2-3/8	1-7/32	1.75
467-419SR	4x1-1/2	4-1/8	2-5/8	4-3/32	5-9/16	2-3/8	15/16	1.70
467-420SR	4x2	4-3/16	2-5/8	4-1/8	5-5/8	3	15/16	1.80
467-421SR	4x2-1/2	5	2-5/8	5-7/16	5-23/32	4-9/32	1-7/32	2.92
467-422SR	4x3	4-5/8	2-19/32	5-7/16	5-11/16	4-1/4	31/32	2.59
467-523SR	6x1/2	5-13/32	3-7/8	3	7-3/4	1-11/16	1-3/8	2.37
467-524SR	6x3/4	5-7/16	3-7/8	3	7-3/4	1-11/16	1-3/8	2.35
467-525SR	6x1	5-1/8	3-7/8	3	7-15/16	1-11/16	15/16	2.32
467-526SR	6x1-1/4	5-15/16	3-7/8	4-1/8	7-3/4	3	1-11/16	3.32
467-527SR	6x1-1/2	5-15/16	3-7/8	4-1/8	7-3/4	3	1-3/4	3.27
467-528SR	6x2	5-1/2	3-7/8	4-1/8	7-3/4	3	1-7/32	3.14
467-529SR	6x2-1/2	6-7/16	3-7/8	6	7-15/16	4-1/4	1-9/16	4.85
467-530SR	6x3	5-15/16	3-7/8	6	7-15/16	4-1/4	1-1/4	4.50


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



CLAMP-ON SADDLE x SR FIPT SINGLE OUTLET (continued)

Dimensions Also Applicable to
467S-XXXSR 467E-XXXSR 467SE-XXXSR

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	H1	L	L1	M	N	Approx. Wt. (Lbs.)
467-532SR	6x4	6	3-29/32	6	7-15/16	5-3/16	1-3/8	5.48
467-573SR	8x1/2	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	3	9.42
467-574SR	8x3/4	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	3	9.43
467-575SR	8x1	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-13/16	9.43
467-576SR	8x1-1/4	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-3/4	9.56
467-577SR	8x1-1/2	8-3/32	4-7/8	8-1/2	10-1/8	5-1/4	2-3/4	9.39
467-578SR	8x2	7-11/16	4-7/8	8-1/2	10-1/8	5-1/4	2-3/8	9.21
467-579SR	8x2-1/2	8-1/8	4-7/8	8-1/2	10-1/8	5-1/4	2-1/2	9.15
467-580SR	8x3	7-1/16	4-7/8	8-1/2	10-1/8	5-1/4	1-15/16	10.06
467-582SR	8x4	7-5/16	4-7/8	8-1/2	10-1/8	5-1/4	1-1/2	8.51
467-585SR	8x6	8-3/32	4-7/8	8-1/2	10-1/8	7-5/8	2-3/32	10.20
467-624SR	10x4	8-15/32	6-1/32	8-1/2	12-5/16	5-1/4	2-3/16	12.09
467-626SR	10x6	9-9/32	6-1/32	8-1/2	12-5/16	7-5/8	3-3/16	13.45
467-664SR	12x4	9-9/16	7-5/32	8-1/2	14-5/16	5-1/4	1-5/8	15.69
467-666SR	12x6	10-3/8	7-5/32	8-1/2	14-5/16	7-5/8	2-1/4	16.92

- 1) Clamp-On Saddle Standard Hardware: Zinc Bolts w/BUNA-N O-ring Seal
e.g.) Part Number 467-247SR = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Zinc Bolts.
- 2) Clamp-On Saddles w/Stainless Steel (SS) Bolts, Add The Letter "S" Before The Dash.
e.g.) Part Number 467S-247SR = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Stainless Steel Bolts.
- 3) Clamp-On Saddles w/EPDM O-ring Seal, Add The Letter "E" Before The Dash.
e.g.) Part Number 467E-247SR = 2x1/2 PVC Clamp-On Saddle, Socket, EPDM O-ring, Zinc Bolts.
- 4) Clamp-On Saddles w/Stainless Steel Bolts & EPDM O-ring Seal, Add The Letter "SE" Before The Dash.
e.g.) Part Number 467SE-247SR = 2x1/2 PVC Clamp On Saddle, Socket EPDM O-ring, Stainless Steel Bolts.




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

CLAMP-ON SADDLE x SOCKET DOUBLE OUTLET

Dimensions Also Applicable to
468S-Xxx 468E-Xxx 468SE-Xxx

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	L	L1	M	N	Approx. Wt. (Lbs.)
468-247	2x1/2	2-3/8	2-7/16	3-7/16	1-3/16	5/16	.63
468-248	2x3/4	2-1/2	2-7/16	3-7/16	1-3/8	5/16	.65
468-249	2x1	2-5/8	2-7/16	3-7/16	1-11/16	5/16	.68
468-250	2x1-1/4	2-3/4	2-7/16	3-7/16	2-1/16	5/16	.73
468-251	2x1-1/2	2-15/16	2-7/16	3-7/16	2-3/8	3/8	.85
468-291	2-1/2x1-1/2	3-3/16	4-1/16	4	2-3/8	3/8	1.15
468-333	3x1/2	3-5/16	3	4-5/8	1-3/8	13/16	.93
468-334	3x3/4	3-1/16	3	4-5/8	1-3/8	9/32	.89
468-335	3x1	3-3/16	3	4-5/8	1-11/16	5/16	.91
468-336	3x1-1/4	4-1/32	4-3/32	4-5/8	3	1-1/32	1.93
468-337	3x1-1/2	4-1/32	4-3/32	4-5/8	3	29/32	1.80
468-338	3x2	3-5/8	4-3/32	4-5/8	3	3/8	1.48
468-415	4x1/2	4-3/32	3	5-9/16	2-3/8	31/32	1.43
468-416	4x3/4	4-3/32	3	5-9/16	2-3/8	27/32	1.37
468-417	4x1	3-13/16	3	5-5/8	1-11/16	7/16	1.30
468-418	4x1-1/4	4-13/32	4-3/32	5-5/8	2-3/8	29/32	1.91
468-419	4x1-1/2	4-1/8	4-3/32	5-9/16	2-3/8	1/2	1.76
468-420	4x2	4-3/16	4-1/8	5-5/8	3	7/16	1.91
468-421	4x2-1/2	5	5-7/16	5-23/32	4-9/32	3/4	3.77
468-422	4x3	4-5/8	5-7/16	5-11/16	4-1/4	1/2	2.95
468-523	6x1/2	5-13/32	3	7-3/4	1-11/16	1-7/32	2.48
468-524	6x3/4	5-7/16	3	7-3/4	1-11/16	1-1/8	2.44
468-525	6x1	5-1/8	3	7-15/16	1-11/16	11/16	2.35
468-526	6x1-1/4	5-15/16	4-1/8	7-3/4	3	1-3/8	3.70
468-527	6x1-1/2	5-15/16	4-1/8	7-3/4	3	1-1/4	3.57
468-528	6x2	5-1/2	4-1/8	7-3/4	3	11/16	3.26
468-529	6x2-1/2	6-7/16	6	7-15/16	4-1/4	1-1/8	5.61
468-530	6x3	5-15/16	6	7-15/16	4-1/4	25/32	4.78

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES




CLAMP-ON SADDLE x SOCKET DOUBLE OUTLET

Dimensions Also Applicable to
468S-Xxx 468E-Xxx 468SE-Xxx

(continued)

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	L	L1	M	N	Approx. Wt. (Lbs.)
468-532	6x4	6	6	7-15/16	5-3/16	5/8	5.63
468-573	8x1/2	8-3/32	8-1/2	10-1/8	5-1/4	2-3/16	11.07
468-574	8x3/4	8-3/32	8-1/2	10-1/8	5-1/4	2-3/4	11.04
468-575	8x1	8-3/32	8-1/2	10-1/8	5-1/4	2-5/8	11.06
468-576	8x1-1/4	8-3/32	8-1/2	10-1/8	5-1/4	2-1/2	11.08
468-577	8x1-1/2	8-3/32	8-1/2	10-1/8	5-1/4	2-3/8	10.96
468-578	8x2	7-11/16	8-1/2	10-1/8	5-1/4	1-7/8	10.64
468-579	8x2-1/2	8-1/8	8-1/2	10-1/8	5-1/4	1-11/16	10.78
468-580	8x3	7-1/16	8-1/2	10-1/8	5-1/4	1-7/16	10.62
468-582	8x4	7-5/16	8-1/2	10-1/8	5-1/4	11/16	9.02
468-585	8x6	8-3/32	8-1/2	10-1/8	7-5/8	11/16	11.25
468-624	10x4	8-15/32	8-1/2	12-5/16	5-1/4	13/16	12.37
468-626	10x6	9-9/32	8-1/2	12-5/16	7-5/8	13/16	14.51
468-664	12x4	9-9/16	8-1/2	14-5/16	5-1/4	7/8	16.06
468-666	12x6	10-3/8	8-1/2	14-5/16	7-5/8	7/8	17.70

- 1) Clamp-On Saddle Standard Hardware: Zinc Bolts w/BUNA-N O-ring Seal
e.g.) Part Number 468-247 = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Zinc Bolts.
- 2) Clamp-On Saddles w/Stainless Steel (SS) Bolts, Add The Letter "S" Before The Dash.
e.g.) Part Number 468S-247 = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Stainless Steel Bolts.
- 3) Clamp-On Saddles w/EPDM O-ring Seal, Add The Letter "E" Before The Dash.
e.g.) Part Number 468E-247 = 2x1/2 PVC Clamp-On Saddle, Socket, EPDM O-ring, Zinc Bolts.
- 4) Clamp-On Saddles w/Stainless Steel Bolts & EPDM O-ring Seal, Add The Letter "SE" Before The Dash.
e.g.) Part Number 468SE-247 = 2x1/2 PVC Clamp On Saddle, Socket EPDM O-ring, Stainless Steel Bolt




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

CLAMP-ON SADDLE x SR FIPT DOUBLE OUTLET

Dimensions Also Applicable to
469S-XXXSR 469E-XXXSR 469SE-XXXSR

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	L	L1	M	N	Approx. Wt. (Lbs.)
469-247SR	2x1/2	2-3/8	2-7/16	3-7/16	1-3/16	5/16	.66
469-248SR	2x3/4	2-1/2	2-7/16	3-7/16	1-3/8	5/16	.67
469-249SR	2x1	2-5/8	2-7/16	3-7/16	1-11/16	5/16	.73
469-250SR	2x1-1/4	2-3/4	2-7/16	3-7/16	2-1/16	5/16	.79
469-251SR	2x1-1/2	2-15/16	2-7/16	3-7/16	2-3/8	3/8	.93
469-291SR	2-1/2x1-1/2	3-3/16	4-1/16	4	2-3/8	3/8	1.30
469-333SR	3x1/2	3-5/16	3	4-5/8	1-3/8	13/16	.96
469-334SR	3x3/4	3-1/16	3	4-5/8	1-3/8	9/32	.93
469-335SR	3x1	3-3/16	3	4-5/8	1-11/16	5/16	.98
469-336SR	3x1-1/4	4-1/32	4-3/32	4-5/8	3	1-1/32	2.04
469-337SR	3x1-1/2	4-1/32	4-3/32	4-5/8	3	2-11/16	1.94
469-338SR	3x2	3-5/8	4-3/32	4-5/8	3	3/8	1.67
469-415SR	4x1/2	4-3/32	3	5-9/16	2-3/8	31/32	1.46
469-416SR	4x3/4	4-3/32	3	5-9/16	2-3/8	27/32	1.44
469-417SR	4x1	3-13/16	3	5-5/8	1-11/16	7/16	1.37
469-418SR	4x1-1/4	4-13/32	4-3/32	5-5/8	2-3/8	29/32	2.00
469-419SR	4x1-1/2	4-1/8	4-3/32	5-9/16	2-3/8	1/2	1.89
469-420SR	4x2	4-3/16	4-1/8	5-5/8	3	7/16	2.10
469-421SR	4x2-1/2	5	5-7/16	5-23/32	4-9/32	3/4	3.98
469-422SR	4x3	4-5/8	5-7/16	5-11/16	4-1/4	1/2	3.31
469-523SR	6x1/2	5-13/32	3	7-3/4	1-11/16	1-7/32	2.51
469-524SR	6x3/4	5-7/16	3	7-3/4	1-11/16	1-1/8	2.48
469-525SR	6x1	5-1/8	3	7-15/16	1-11/16	11/16	2.42
469-526SR	6x1-1/4	5-15/16	4-1/8	7-3/4	3	1-3/8	3.81
469-527SR	6x1-1/2	5-15/16	4-1/8	7-3/4	3	1-1/4	3.71
469-528SR	6x2	5-1/2	4-1/8	7-3/4	3	11/16	3.45
469-529SR	6x2-1/2	6-7/16	6	7-15/16	4-1/4	1-1/8	5.82
469-530SR	6x3	5-15/16	6	7-15/16	4-1/4	25/32	5.12


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



CLAMP-ON SADDLE x SR FIPT DOUBLE OUTLET (continued)

Dimensions Also Applicable to
469S-XXXSR 469E-XXXSR 469SE-XXXSR

Pressure Rating
2" - 4" 235 psi @ 73°F
6" 200 psi @ 73°F
8" - 12" 150 psi @ 73°F



Part Number	Size	H	L	L1	M	N	Approx. Wt. (Lbs.)
469-532SR	6x4	6	6	7-15/16	5-3/16	5/8	6.35
469-573SR	8x1/2	8-3/32	8-1/2	10-1/8	5-1/4	2-3/16	11.07
469-574SR	8x3/4	8-3/32	8-1/2	10-1/8	5-1/4	2-3/4	11.18
469-575SR	8x1	8-3/32	8-1/2	10-1/8	5-1/4	2-5/8	11.09
469-576SR	8x1-1/4	8-3/32	8-1/2	10-1/8	5-1/4	2-1/2	11.44
469-577SR	8x1-1/2	8-3/32	8-1/2	10-1/8	5-1/4	2-3/8	11.46
469-578SR	8x2	7-11/16	8-1/2	10-1/8	5-1/4	1-7/8	10.73
469-579SR	8x2-1/2	8-1/8	8-1/2	10-1/8	5-1/4	1-11/16	10.62
469-580SR	8x3	7-1/16	8-1/2	10-1/8	5-1/4	1-7/16	10.76
469-582SR	8x4	7-5/16	8-1/2	10-1/8	5-1/4	11/16	9.33
469-585SR	8x6	8-3/32	8-1/2	10-1/8	7-5/8	11/16	12.70
469-624SR	10x4	8-15/32	8-1/2	12-5/16	5-1/4	13/16	12.97
469-626SR	10x6	9-9/32	8-1/2	12-5/16	7-5/8	13/16	15.69
469-664SR	12x4	9-9/16	8-1/2	14-5/16	5-1/4	7/8	---
469-666SR	12x6	10-3/8	8-1/2	14-5/16	7-5/8	7/8	18.95


- 1) Clamp-On Saddle Standard Hardware: Zinc Bolts w/BUNA-N O-ring Seal
e.g.) Part Number 469-247SR = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Zinc Bolts.
- 2) Clamp-On Saddles w/Stainless Steel (SS) Bolts, Add The Letter "S" Before The Dash.
e.g.) Part Number 469S-247SR = 2x1/2 PVC Clamp On Saddle, Socket, BUNA-N O-ring, Stainless Steel Bolts.
- 3) Clamp-On Saddles w/EPDM O-ring Seal, Add The Letter "E" Before The Dash.
e.g.) Part Number 469E-247SR = 2x1/2 PVC Clamp-On Saddle, Socket, EPDM O-ring, Zinc Bolts.
- 4) Clamp-On Saddles w/Stainless Steel Bolts & EPDM O-ring Seal, Add The Letter "SE" Before The Dash.
e.g.) Part Number 469SE-247SR = 2x1/2 PVC Clamp On Saddle, Socket EPDM O-ring, Stainless Steel Bolt



PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

INSERT x I.P.S. SPIGOT ADAPTER


ASTM D 2609



Part Number	Size	L	N	Approx. Wt. (Lbs.)
460-005	1/2	2-7/16	7/32	.03
460-007	3/4	2-3/4	1/4	.04
460-010	1	2-9/16	1/16	.07
460-012	1-1/4	3	1/4	.10
460-015	1-1/2	3-5/16	5/16	.12
460-020	2	3-1/2	3/8	.20
460-030	3	4-11/16	7/16	.58
460-040	4	5-25/32	13/32	.96

INSERT ADAPTER (PVC WHITE)

Insert x I.P.S. Spigot



Part Number	Size	L	N	Approx. Wt. (Lbs.)
1432-060	6	7-7/8	3-1/4	1.69
1432-080*	8	9-7/8	5/8	5.23


*Fabricated

PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



INSERT ADAPTER

Insert x Soc
ASTM D 2609



Part Number	Size	L	M1	N	Approx. Wt. (Lbs.)
474-005	1/2	2-3/8	1-1/16	1/8	.03
474-007	3/4	2-7/16	1-5/16	5/32	.05
474-010	1	2-5/8	1-5/8	1/8	.07
474-012	1-1/4	2-11/16	2	3/16	.10
474-015	1-1/2	3-1/16	2-1/4	3/16	.14
474-020	2	3	2-11/16	3/16	.17
474-030	3	4-3/4	4	5/16	.51
474-040	4	5-5/8	5	3/8	.81




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

WYE

Soc x Soc x Soc

Pressure Rating
 1/2" - 2" 235 psi @ 73°F
 2-1/2" - 6" 200 psi @ 73°F
 8" & Up 100 psi @ 73°F



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
475-005	1/2	1/4	1-3/16	1-3/16	1-1/8	2-1/16	2-1/16	3-3/16	1-5/32	1-5/32	.12
475-007	3/4	1/8	1-9/16	1-9/16	1-1/8	2-9/16	2-9/16	3-11/16	1-3/8	1-3/8	.18
475-010	1	9/32	1-13/16	1-13/16	1-13/32	2-15/16	2-15/16	4-11/32	1-23/32	1-23/32	.31
475-012	1-1/4	3/8	2-1/4	2-1/4	1-5/8	3-1/2	3-1/2	5-1/8	2-1/16	2-1/16	.50
475-015	1-1/2	1/2	2-19/32	2-9/16	1-7/8	3-31/32	3-15/16	5-13/16	2-11/32	2-11/32	.69
475-020	2	19/32	3-7/32	3-7/32	2-1/8	4-3/4	4-3/4	6-7/8	2-7/8	2-7/8	1.20
475-025	2-1/2	1	5-1/4	4-3/4	3	7-1/4	6-3/4	9-3/4	4-1/8	4-1/8	2.59
475-030	3	11/16	4-5/8	4-3/16	2-19/32	6-17/32	6-3/32	8-11/16	4-5/32	4-5/32	2.68
475-040	4	7/8	6	5-3/8	3-1/8	8-1/4	7-5/8	10-3/4	5-9/32	5-9/32	4.76
475-050F	5	3-3/4	10-1/8	9-5/16	6-3/4	13-1/8	12-5/16	19-1/8	6-1/16	6-1/16	13.26
475-060	6	1-5/16	8-21/32	8-1/16	4-5/16	11-21/32	11-1/16	15-3/8	7-9/16	7-9/16	12.09
475-080	8	2-1/16	11-1/16	11-1/4	6-1/16	15-1/4	15-1/4	21-1/4	9-23/32	9-23/32	25.40
475-080F	8	5-1/2	13-1/2	13-1/2	9-3/4	17-3/4	17-3/4	27-1/2	9-1/4	9-1/4	25.46
475-100	10	2-1/2	16-7/8	13-31/32	7-1/2	22-1/8	18-31/32	26-15/32	11-9/16	11-9/16	26.92
475-100F	10	6-7/8	16-7/8	16-7/8	12-1/8	22-1/8	22-1/8	34-1/4	11-1/2	11-1/2	45.11
475-120	12	2-11/16	16-1/8	16-7/32	8-3/4	22-7/32	22-9/32	31-1/32	13-21/32	13-21/32	41.85
475-120F	12	6-3/4	19-3/4	19-3/4	13	26	26	39	13-9/16	13-9/16	63.02
475-140F	14	6-7/8	21-1/8	21-1/8	13-7/8	28-1/8	28-1/8	42	14-7/8	14-7/8	90.24
475-160F	16	8-1/2	26-1/4	24-1/2	16-1/2	34-1/4	32-1/2	49	17	17	93.06
475-180F	18	9	28	27-3/4	18	37	36-3/4	54-3/4	19-1/8	19-1/8	151.20
475-200F	20	9-3/8	29-1/4	29-3/8	19-3/8	39-1/4	39-3/8	58-3/4	21	21	191.78
475-240F	24	11-3/4	34-3/4	34-3/4	25-3/4	46-3/4	46-3/4	70-1/2	25-3/8	25-3/8	420.00


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCING WYE

Soc x Soc x Soc

Pressure Rating
 1/2" - 2" 235 psi @ 73°F
 2-1/2" - 6" 150 psi @ 73°F
 8" & Up 100 psi @ 73°F



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
475-101 ¹	3/4x3/4x1/2	5/16	2-5/32	1-3/8	1-5/16	2-15/16	2-3/8	3-11/16	1-3/8	1-3/8	.21
475-131 ¹	1x1x3/4	11/32	2	1-3/4	1-15/32	3-9/32	2-7/8	4-11/32	1-23/32	1-23/32	.36
475-167 ¹	1-1/4x1-1/4x3/4	3/8	2-3/4	2-1/4	1-5/8	3-3/4	3-1/2	5-1/8	2-1/16	2-1/16	.63
475-168 ¹	1-1/4x1-1/4x1	3/8	2-5/8	2-1/4	1-5/8	3-3/4	3-1/2	5-1/8	2-1/16	2-1/16	.58
475-210 ¹	1-1/2x1-1/2x3/4	1/2	3-1/2	2-9/16	1-7/8	4-1/2	3-15/16	5-13/16	2-11/32	2-11/32	.82
475-211 ¹	1-1/2x1-1/2x1	1/2	3	2-9/16	1-7/8	4-5/32	3-15/16	5-13/16	2-11/32	2-11/32	.84
475-212 ¹	1-1/2x1-1/2x1-1/4	1/2	3-1/4	2-9/16	1-7/8	4-1/2	3-15/16	5-13/16	2-11/32	2-11/32	.77
475-248 ¹	2x2x3/4	5/8	4-1/4	3-1/4	2-1/8	5-1/8	4-3/4	6-7/8	2-7/8	2-7/8	1.41
475-251 ¹	2x2x1-1/2	19/32	3-7/16	3-7/32	2-1/8	4-7/8	4-3/4	6-7/8	2-7/8	2-7/8	1.35
475-292 ¹	2-1/2x2-1/2x2	1	5-9/16	4-1/2	3	6-15/16	6-1/2	9-9/16	4-3/16	4-3/16	4.00
475-336 ¹	3x3x1-1/4	7/8	5-3/4	4-1/8	2-3/4	7	6	8-3/4	4-3/16	4-3/16	3.06
475-337 ¹	3x3x1-1/2	13/16	5-5/8	4-1/8	2-11/16	6-15/16	6	8-11/16	4-3/16	4-3/16	3.19
475-338 ¹	3x3x2	3/4	5-9/16	4-1/4	2-5/8	6-15/16	6-1/8	8-3/4	4-3/16	4-3/16	3.19
475-339 ¹	3x3x2-1/2	7/8	4-1/8	4-21/32	2-3/4	6-3/4	6	8-3/4	4-3/16	4-3/16	2.59
475-420	4x4x2	-1/2	4-11/16	4-7/32	1-25/32	6-7/32	6-1/2	8-5/16	5-9/32	2-7/8	2.78
475-422 ¹	4x4x3	5/8	6-7/8	5-5/8	2-7/8	8-7/8	7-7/8	10-3/4	5-1/4	5-1/4	6.00
475-528 ¹	6x6x2	1/16	8-5/8	6-5/8	3	10	6-11/16	12-11/16	7-9/16	4-3/4	9.30
475-530 ¹	6x6x3	1/32	8-1/4	6-21/32	3-1/32	10-1/4	9-21/32	12-11/16	7-9/16	5-7/16	9.29
475-532	6x6x4	1/32	8-1/4	6-21/32	3-1/32	10-1/4	9-21/32	12-11/16	7-9/16	5-7/16	8.49
475-532F	6x6x4	2-7/8	9-3/4	8-7/8	6-1/8	12	12-1/8	18-1/4	7-1/4	5	6.71
475-578F	8x8x2	7/8	9-1/2	8-7/8	5-1/8	11-1/4	13-1/8	18-1/4	9-3/8	2-3/4	12.62
475-580F	8x8x3	1-1/4	10-3/4	10	5-1/2	13	14-1/4	19-3/4	9-1/4	4	14.36
475-582F	8x8x4	2-1/2	12	10-1/4	6-3/4	14-1/4	14-1/2	21-1/4	9-3/8	5	16.32
475-585F	8x8x6	3-9/16	12-7/8	12-3/16	7-13/16	16-1/8	16-7/16	24-1/4	9-1/4	7-1/4	19.47
475-621F	10x10x2	-1/2	11-3/16	10-1/4	4-3/4	12-15/16	15-1/2	20-1/4	11-1/2	2-3/4	17.95
475-623F	10x10x3	1/2	12-3/8	11-1/4	5-3/4	14-5/8	16-1/2	22-1/4	11-1/2	3-15/16	18.96
475-624F	10x10x4	1-3/4	13-1/4	11-7/8	7	15-1/2	17-1/8	24-1/8	11-1/2	5	22.97
475-626	10x10x6	-9/32	12-27/32	11-1/32	4-23/32	15-7/8	16-1/32	20-3/4	12-1/32	7-19/32	28.18

¹ Outlet sized with bushing




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING WYE

Soc x Soc x Soc

(continued)

Pressure Rating
 1/2" - 2" 235 psi @ 73°F
 2-1/2" - 6" 150 psi @ 73°F
 8" & Up 100 psi @ 73°F



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
475-626F	10x10x6	3-3/4	14-1/8	14	9	17-3/8	19-1/4	28-1/4	11-1/2	7-3/16	21.45
475-628	10x10x8	1-7/32	12-3/4	12-1/4	6-7/32	16-25/32	17-9/32	23-1/2	12-1/32	9-23/32	35.50
475-628F	10x10x8	5-1/4	15-5/8	15-3/4	10-1/2	19-7/8	21	31-1/2	11-1/2	9-3/8	28.02
475-661F	12x12x2	-1-1/8	12-1/2	11-5/8	5-1/8	14-1/4	17-7/8	23	13-1/2	2-5/8	40.46
475-663F	12x12x3	-3/8	13-11/16	12-3/8	5-7/8	15-15/16	18-5/8	24-1/2	13-9/16	3-15/16	28.74
475-664F	12x12x4	3/8	14-3/4	13-1/8	6-5/8	17	19-3/8	26	13-9/16	5	23.93
475-666F	12x12x6	2-7/8	15-1/2	14-3/4	9-1/8	18-3/4	21	30	13-1/2	7-1/4	28.92
475-668F	12x12x8	3-7/8	17-1/4	16-5/8	10-1/8	21-1/2	22-7/8	33	13-1/2	9-1/4	45.53
475-670F	12x12x10	5-1/8	17-15/16	18-3/8	11-3/8	23-3/16	24-5/8	36	13-9/16	11-1/2	40.69
475-691F	14x14x2	-3/4	14-7/16	13-1/4	6-1/4	16-11/16	20-1/4	26-1/2	14-7/8	4-1/8	29.36
475-693F	14x14x3	-3/4	14-7/16	13-1/4	6-1/4	16-11/16	20-1/4	26-1/2	14-7/8	4-1/8	33.06
475-694F	14x14x4	0	15-7/16	14	7	17-11/16	21	28	14-7/8	5	30.12
475-696F	14x14x6	1-1/2	16-3/8	15-1/2	8-1/2	19-5/8	22-1/2	31	14-7/8	7-1/4	48.96
475-698F	14x14x8	3	17-7/8	17	10	22-1/8	24	34	14-7/8	6-1/4	48.96
475-700F	14x14x10	4-3/8	19-1/16	18-5/8	11-3/8	24-5/16	25-5/8	37	14-7/8	11-1/2	60.73
475-702F	14x14x12	6-1/16	21-1/16	20-1/16	13	27-5/16	27	40	14-7/8	13-5/8	69.34
475-751F	16x16x2	-2	14-3/4	14	6	16-1/2	22	28	17	2-3/4	37.81
475-753F	16x16x3	-1-1/4	15-3/4	14-3/4	6-3/4	18	22-3/4	29-1/2	17	4-1/8	40.93
475-754F	16x16x4	-1/2	16-3/4	15-1/2	7-1/2	19	23-1/2	31	17	5	50.95
475-756F	16x16x6	1-7/8	17-13/16	17-7/8	9-7/8	21-1/16	25-7/8	34-3/4	17	7-3/16	60.24
475-758F	16x16x8	2-1/4	19-1/2	18-3/4	10-1/4	23-3/4	26-3/4	37	17	9-1/4	70.40
475-760F	16x16x10	4	20-1/4	20	12	25-1/2	28	40	17	11-1/2	73.02
475-762F	16x16x12	5-1/2	22-1/8	21-1/2	13-1/2	28-3/8	29-1/2	43	17	13-5/8	90.59
475-786F	18x18x6	7/8	19	18-7/8	9-7/8	22-1/4	27-7/8	37-3/4	19-1/8	7-3/16	85.68
475-788F	18x18x8	3-3/4	21-1/4	21	12-3/4	25-1/2	30	42-3/4	19-1/8	9-3/8	101.85
475-792F	18x18x12	4-7/8	23-7/16	22-7/8	13-7/8	29-11/16	31-7/8	45-3/4	19-1/8	13-5/8	92.98
475-794F	18x18x14	5-3/8	23-7/8	23-3/8	14-3/8	30-7/8	32-3/8	46-3/4	19-1/8	14-7/8	116.88
475-796F	18x18x16	7-7/8	26-1/16	25-7/8	16-7/8	34-1/16	34-7/8	51-3/4	19-1/8	17	121.63
475-816F	20x20x6	-1/8	20-3/8	19-7/8	9-5/8	23-5/8	29-7/8	39-3/4	21-3/16	7-3/16	79.19
475-822F	20x20x12	4-3/8	24-13/16	24-3/8	14-3/8	31-1/16	34-3/8	48-3/4	21-1/4	13-5/8	135.66
475-824F	20x20x14	4-7/8	25-1/4	24-7/8	14-7/8	32-1/4	34-7/8	49-3/4	21-1/4	14-7/8	129.00


PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES



REDUCING WYE (continued)

Soc x Soc x Soc

Pressure Rating
 1/2" - 2" 235 psi @ 73°F
 2-1/2" - 6" 150 psi @ 73°F
 8" & Up 100 psi @ 73°F




Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
475-826F	20x20x16	7-3/8	26-5/8	27-3/8	17-3/8	34-5/8	37-3/8	54-3/4	21-1/4	17	161.54
475-828F	20x20x18	8-7/8	28-9/16	28-7/8	18-7/8	37-9/16	38-7/8	57-3/4	21-1/4	19-1/8	158.46
475-906F	24x24x6	1-1/4	23-3/16	22-3/4	10-3/4	26-7/16	26-3/4	45-1/2	25-3/8	7-3/16	135.24
475-908F	24x24x8	1/2	24-7/8	24	12-1/2	29-1/8	36	48-1/2	25-3/8	9-1/4	145.74
475-912F	24x24x12	3-1/4	27-1/2	27-1/4	15-1/4	33-3/4	39-1/4	54-1/2	25-3/8	13-5/8	153.58
475-914F	24x24x14	3-7/8	28-1/8	27-7/8	15-7/8	35-1/8	39-7/8	55-3/4	25-3/8	14-7/8	184.50
475-916F	24x24x16	6-5/16	30-1/4	30-5/16	18-3/8	38-1/4	42-3/8	60-3/4	25-3/8	17	185.70
475-918F	24x24x18	7-7/8	31-3/4	31-7/8	19-7/8	40-3/4	43-7/8	63-3/4	25-3/8	19-1/8	185.70
475-920F	24x24x20	8-3/8	32-3/16	32-3/8	20-3/8	42-3/16	44-3/8	64-3/4	25-3/8	21-1/4	232.49

DOUBLE WYE

Soc x Soc x Soc x Soc

Pressure Rating
 150 psi @ 73°F



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
476-020F	2	3-7/8	5-7/16	6-1/4	5-1/4	6-13/16	7-5/8	12-15/16	2-3/4	2-3/4	1.25
476-030F	3	4-3/4	7-5/16	8-1/4	6-3/4	9-5/16	10-1/4	17	4	4	5.42
476-060F	6	4-3/8	11	10-3/8	7-5/8	14-1/4	13-5/8	21-1/4	7-1/4	7-1/4	18.24
476-080F	8	5-1/4	13-1/2	13-1/2	9-3/4	17-3/4	17-3/4	27-1/2	9-1/4	9-1/4	25.02
476-100F	10	6-7/8	16-7/8	16-7/8	12-1/8	22-1/8	22-1/8	34-1/4	11-1/2	11-1/2	37.91
476-120F	12	6-3/4	19-3/4	19-3/4	13	26	26	39	13-9/16	13-9/16	63.02




PVC WHITE SCHEDULE 40 FITTINGS UNIONS & SADDLES

REDUCING DOUBLE WYE

Soc x Soc x Soc x Soc

Pressure Rating
150 psi @ 73°F



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
476-338	3x2	7/32	4-1/4	4-1/32	2-3/32	5-3/4	5-29/32	8	4-3/16	2-7/8	2.27
476-528F	6x2	3/4	8-1/4	7-5/8	4	10	10-7/8	14-7/8	7-3/16	2-13/16	5.87
476-530F	6x3	1-13/16	9-9/16	8-7/16	5-1/16	11-13/16	11-11/16	16-3/4	7-3/16	3-15/16	10.29
476-532F	6x4	2-7/8	9-3/4	8-7/8	6-1/8	12	12-1/8	18-1/4	7-3/16	5	9.52
476-578F	8x2	7/8	9-1/2	8-7/8	5-1/8	11-1/4	13-1/8	18-1/4	9-3/8	2-3/4	12.49
476-580F	8x3	1-5/16	10-7/8	9-15/16	5-9/16	13-1/8	14-3/16	19-3/4	9-1/4	3-15/16	11.12
476-582F	8x4	1-3/4	12	15-1/4	6	14-1/4	15-1/4	21-1/4	9-3/8	5	12.73
476-585F	8x6	3-9/16	12-7/8	12-3/16	7-13/16	16-1/8	16-7/16	24-1/4	9-1/4	7-1/4	24.52
476-624F	10x4	1-3/4	13-1/4	11-7/8	7	15-1/2	17-1/8	24-1/8	11-1/2	5	18.71
476-626F	10x6	3-3/4	14-1/8	14	9	17-3/8	19-1/4	28-1/4	11-1/2	7-3/16	24.65
476-628F	10x8	5-1/4	15-5/8	15-3/4	10-1/2	19-7/8	21	31-1/2	11-1/2	9-3/8	31.59
476-663F	12x3	3-7/8	13-11/16	12-3/8	5-7/8	15-15/16	18-5/8	24-1/2	13-9/16	3-15/16	35.93
476-664F	12x4	3/8	14-3/4	13-1/8	6-5/8	17	19-3/8	26	13-9/16	5	25.49
476-668F	12x8	3-7/8	17-1/4	16-5/8	10-1/8	21-1/2	22-7/8	33	13-1/2	9-1/4	37.86
476-670F	12x10	5-1/8	17-15/16	18-3/8	11-3/8	23-3/16	24-5/8	36	13-9/16	11-1/2	67.89
476-756F	16x6	1-7/8	17-13/16	17-7/8	9-7/8	21-1/16	25-7/8	34-3/4	17	7-3/16	64.27
476-786F	18x6	7/8	19	18-7/8	9-7/8	22-1/4	27-7/8	37-3/4	19-1/8	7-3/16	91.45



SPEARS® MANUFACTURING COMPANY

Corporate Office
15853 Olden Street • Sylmar, CA 91342
PO Box 9203 • Sylmar, CA 91392
(818) 364-1611 • <http://www.spearsmfg.com>

